

Datasheet: 0100-0242 **BATCH NUMBER 157318**

Description:	MOUSE ANTI HUMAN CD121a
Specificity:	CD121a
Other names:	INTERLEUKIN 1 RECEPTOR TYPE 1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	35730 (49/20)
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography from ascites
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<5% Trehalose
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Recombinant peptide corresponding to the extracellular domain of human CD12

External Database Links	UniProt: P14778 Related reagents Entrez Gene: 3554 IL1R1 Related reagents
Synonyms	IL1R, IL1RA, IL1RT1
RRID	AB_617210
Specificity	Mouse anti human CD121a , clone 35730 , recognizes interleukin-1 receptor type 1 (IL1R1). IL1RA/CD121a is widely expressed in a number of cell types including T cells and fibroblasts (<u>Sims et al.</u>)and is involved in the activation of NF-kappa-B (<u>Slack et al.</u>).
Further Reading	 Sims, J. et al. (1989) Cloning the interleukin 1 receptor from human T cells. Proc Natl Acad Sci U S A. 86: 8946-50. Slack, J. et al. (2000) Identification of two major sites in the type I interleukin-1 receptor cytoplasmic region responsible for coupling to pro-inflammatory signaling pathways. J Biol Chem. 275:4670-8.
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10121 available at: https://www.bio-rad-antibodies.com/SDS/0100-0242 10121

Related Products

Regulatory

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...)

RPE

Goat Anti Mouse IgG (STAR70...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (Fc) (STAR120...)

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...)

FITC

For research purposes only

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M379777:210413'

Printed on 15 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint