

## Datasheet: 0100-0345 BATCH NUMBER 1606

| Description:MOUSE ANTI ALDOSTERONESpecificity:ALDOSTERONEFormat:PurifiedProduct Type:Monoclonal AntibodyClone:BGN/10/4213 (1-3.2)Isotype:IgG1Quantity:0.2 mg |               |                        |
|--|---------------|------------------------|
| Format:PurifiedProduct Type:Monoclonal AntibodyClone:BGN/10/4213 (1-3.2)Isotype:IgG1   | Description:  | MOUSE ANTI ALDOSTERONE |
| Product Type:Monoclonal AntibodyClone:BGN/10/4213 (1-3.2)Isotype:IgG1  | Specificity:  | ALDOSTERONE            |
| Clone: BGN/10/4213 (1-3.2)   Isotype: IgG1   | Format:       | Purified               |
| Isotype: IgG1  | Product Type: | Monoclonal Antibody    |
|  | Clone:        | BGN/10/4213 (1-3.2)    |
| Quantity: 0.2 mg   | Isotype:      | lgG1                   |
|  | Quantity:     | 0.2 mg                 |

## **Product Details**

| Applications                      | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> |           |           |                |                    |  |
|-----------------------------------|--|-----------|-----------|----------------|--------------------|--|
|                                   | rad-antibodies.com/protocols.  |           |           |                |                    |  |
|                                   |  | Yes       | No        | Not Determined | Suggested Dilution |  |
|                                   | ELISA  | -         |           |                |                    |  |
|                                   | Western Blotting   |           |           | •              |                    |  |
|                                   | Where this product has not been tested for use in a particular technique this does not   |           |           |                |                    |  |
|                                   | necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.  |           |           |                |                    |  |
| Target Species                    | Broad  |           |           |                |                    |  |
| Product Form                      | Purified IgG - liquid  |           |           |                |                    |  |
| Preparation                       | Purified IgG prepared by affinity chromatography on Protein A  |           |           |                |                    |  |
| Buffer Solution                   | Phosphate buffered saline  |           |           |                |                    |  |
| Preservative<br>Stabilisers       | 0.09% Sodium Azide (NaN <sub>3</sub> )   |           |           |                |                    |  |
| Carrier Free                      | Yes  |           |           |                |                    |  |
| Approx. Protein<br>Concentrations | IgG concentration 1.0 m  | g/ml      |           |                |                    |  |
| Immunogen                         | Aldosterone conjugated   | to bovine | serum alb | umin.          |                    |  |

| RRID                             | AD 040074   |
|----------------------------------|---|
| RRID                             | AB_618874   |
| Specificity                      | <b>Mouse anti Aldosterone antibody, clone BGN/10/4213 (1-3.2)</b> recognizes Aldosterone, a steroid hormone from the mineralocorticoid family that is produced in the adrenal gland by the outer-section of the adrenal cortex, to regulate the body's electrolyte and water balance. Aldosterone is synthesized from cholesterol by aldosterone synthase, which is absent in other sections of the adrenal gland. It acts directly on the kidney to decrease the rate of sodium-ion excretion (with accompanying retention of water), and to increase the rate of potassium-ion excretion. |
|                                  | This antibody shows less than 0.01% cross-reactivity with Androstenedione, Corticosterone, DHEA and Deoxcorticosterone.   |
| Storage                          | Store at +4°C or at -20°C if preferred.   |
|                                  | Storage in frost-free freezers is not recommended.  |
|                                  | This product should be stored undiluted.  |
|                                  | Avoid repeated freezing and thawing as this may denature the antibody.  |
|                                  | Should this product contain a precipitate we recommend microcentrifugation before use.  |
| Guarantee                        | 12 months from date of despatch   |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at:<br><u>https://www.bio-rad-antibodies.com/SDS/0100-0345</u><br>10040  |
| Regulatory                       | For research purposes only  |

## **Related Products**

## **Recommended Secondary Antibodies**

| Rabbit Anti Mouse IgG (STAR12)                  | RPE   |  |  |  |  |
|---|---|--|--|--|--|
| Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u> |   |  |  |  |  |
| Goat Anti Mouse IgG (STAR76)                    | RPE   |  |  |  |  |
| Rabbit Anti Mouse IgG (STAR13)                  | HRP   |  |  |  |  |
| Goat Anti Mouse IgG (STAR70)                    | FITC  |  |  |  |  |
| Goat Anti Mouse IgG (H/L) (STAR117)             | <u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> , |  |  |  |  |
|   | DyLight®650, DyLight®680, DyLight®800,                        |  |  |  |  |
|   | FITC, HRP   |  |  |  |  |
| Rabbit Anti Mouse IgG (STAR9)                   | <u>FITC</u>   |  |  |  |  |
| Goat Anti Mouse IgG (STAR77)                    | HRP   |  |  |  |  |
| Goat Anti Mouse IgG (Fc) (STAR120)              | FITC, HRP   |  |  |  |  |
|   |   |  |  |  |  |

| North & South | Tel: +1 800 265 7376             | Worldwide | Tel: +44 (0)1865 852 700         | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|----------------------------------|-----------|----------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751             |           | Fax: +44 (0)1865 852 739         |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-rac | l.com     | Email: antibody_sales_uk@bio-rac | d.com  | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M362732:200528'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint