Datasheet: 0100-0443 BATCH NUMBER 1608

Description:	RABBIT ANTI BRADYKININ
Specificity:	BRADYKININ
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	- · ·							
	rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution							
	Flow Cytometry	103		•	ouggested Dilation			
	Immunohistology - Frozen			•				
	Immunohistology - Paraffin			•				
	ELISA				1/50 - 1/500			
	Western Blotting							
	Where this product has n	ot been te	ested for i	use in a particular tech	nique this does not			
	necessarily exclude its us a guide only. It is recomn	nended th	at the use	er titrates the product f	•			
	system using appropriate	e negative	/positive o	controls.				
Target Species	Broad							
Product Form	Purified IgG - liquid							
Preparation	Purified IgG prepared by affinity chromatography on Protein G							
Buffer Solution	Phosphate buffered salin	e						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)							
Approx. Protein Concentrations	IgG concentration 5.0 mg/ml							
Immunogen	Bradykinin peptide (RPP	GFSPFR)	conjugat	ed to bovine serum all	bumin.			

RRID	AB_2133406
Specificity	Rabbit anti Bradykinin antibody recognizes bradykinin and lys-bradykinin (kallidin)
References	 Kahn, R. <i>et al.</i> (2002) Contact-system activation in children with vasculitis. <u>Lancet. 360:</u> <u>535-41.</u> Jin, X.Q. <i>et al.</i> (2002) Angiotensin II type 2 receptor gene transfer downregulates angiotensin II type 1a receptor in vascular smooth muscle cells. <u>Hypertension. 39: 1021-7.</u> Yasuda, Y. <i>et al.</i> (2001) Vascular endothelial growth factor in edematous mouse embryos induced by retinoic acid <i>in utero</i>. <u>Congential Anomolies. 41: 95-105.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/0100-0443 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (H/L) (STAR124...)HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M362740:200528'

Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint