

Datasheet: 0220-1682G

## **BATCH NUMBER 151612**

Description:	RABBIT ANTI CHICKEN OVALBUMIN
Specificity:	OVALBUMIN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin				
ELISA	•			1/2000 - 1/200000
Western Blotting	-			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Chicken
Species Cross Reactivity	Does not react with:Bovine
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein	lg concentration 5.0 mg/ml

### Concentrations

Immunogen	Highly purified albumin from chicken egg.		
External Database Links	UniProt: P01012 Related reagents		
	Entrez Gene:		
	396058 SERPINB14 Related reagents		
RRID	AB_1510350		
Specificity	Rabbit anti Chicken Ovalbumin antibody recognizes chicken ovalbumin, the predominant protein found in egg white.		
References	<ol> <li>Kontos, S. <i>et al.</i> (2013) Engineering antigens for in situ erythrocyte binding induces T-cell deletion. Proc Natl Acad Sci U S A. 110 (1): E60-8.</li> <li>Schmitt, E.G. <i>et al.</i> (2012) IL-10 produced by induced regulatory T cells (iTregs) controls colitis and pathogenic ex-iTregs during immunotherapy. J Immunol. 189 (12): 5638-48.</li> <li>Zhang, B. <i>et al.</i> (2015) Age decreases macrophage IL-10 expression: Implications for functional recovery and tissue repair in spinal cord injury. Exp Neurol. 273: 83-91.</li> <li>Stamatiades, E.G. <i>et al.</i> (2016) Immune Monitoring of Trans-endothelial Transport by Kidney-Resident Macrophages. Cell. 166 (4): 991-1003.</li> </ol>		
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/0220-1682G">https://www.bio-rad-antibodies.com/SDS/0220-1682G</a> 10040		
Regulatory	For research purposes only		

# **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC
Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

**Recommended Useful Reagents** 

## TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M362790:200528'

### Printed on 28 Apr 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint