

Datasheet: 0300-0230 **BATCH NUMBER 168873** 

Description:	RABBIT ANTI HUMAN C4d
Specificity:	C4d
Other names:	COMPLEMENT COMPONENT 4d
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.25 ml

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			1/20 - 1/80
Immunohistology - Paraffin (1)	•			1/20 - 1/80
Immunofluorescence				1/20 - 1/80

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. TRIS/EDTA buffer pH 8.5 is recommended for this purpose.

Target Species	Human
Product Form	Purified Ig - liquid
Preparation	Purified Ig prepared by affinity chromatography on Protein G.
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	0.1% ProClin 950
Immunogen	Synthetic peptide corresponding to amino acids 1241-1256 of limpet Haemocyanin.

External Database Links	UniProt:				
LIIIKS	P0C0L4 Related reagents				
	P0C0L5 Related reagents				
	Entrez Gene:				
	720 C4A Related reagents				
	721 C4B Related reagents				
Synonyms	CO4, CPAMD2, CPAMD3				
RRID	AB_620313				
Specificity	Rabbit anti Human C4d antibody is specific for human complement split product C4d.				
References	1. Regele, H. <i>et al.</i> (2001) Endothelial C4d deposition is associated with inferior kidney				
	allograft outcome independently of cellular rejection. Nephrol Dial Transplant. 16 (10):				
	<u>2058-66.</u>				
	2. Viana, H. et al. (2009) C4d presence in kidney allograft biopsy: sensitivity and				
	specificity of immunoperoxidase vs. immunofluorescence. N: 10th Banff Conference on				
	Allograft Pathology, 2009, 9 a 14 Ago. Banff, Alberta, Canada				
	3. Santos, A. <i>et al.</i> (2012) C4d detection in renal allograft biopsies: immunohistochemistry				
	vs. immunofluorescence Port J Nephrol Hypert 26 (4): 272-7.				
	4. Sreedharanunni, S. <i>et al.</i> (2014) An analysis of transplant glomerulopathy and thrombotic microangiopathy in kidney transplant biopsies. <u>Transpl Int. 27 (8): 784-92.</u>				
	5. Sethi, S. <i>et al.</i> (2015) C4d as a Diagnostic Tool in Proliferative GN. <u>J Am Soc Nephrol.</u>				
	26 (11): 2852-9.				
	6. Mahakur, S. <i>et al.</i> (2018) Allo-specific immune response profiles indicative of acute				
	rejection in kidney allografts using an <i>in vitro</i> lymphocyte culture-based model. <u>Clin Exp</u>				
	Nephrol. 22 (2): 465-73.				
	7. Hanaoka,K. <i>et al.</i> (2019) Benefits of a loading dose of tacrolimus on graft survival of				
	kidney transplants in nonhuman primates <u>Transplant Immunology. 52: 32-9.</u>				
Stavana					
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for				
	short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	short term use (up to 4 weeks) and store the remaining alliquots at -20 C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in				
	frost-free freezers is not recommended.				
Guarantee	Guaranteed until date of expiry. Please see product label.				
Acknowledgements	ProClin is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.				
Hoolth And C-f-tr	Matarial Cafety Datashart dansum anti-tion #20470 and Hall				
Health And Safety Information	Material Safety Datasheet documentation #20479 available at:				
	https://www.bio-rad-antibodies.com/SDS/0300-0230 20479				
	ZU413				

Regulatory

For research purposes only.

# **Related Products**

# **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

## **Recommended Useful Reagents**

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 **Europe** 

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

America Fax: +1 919 878 3751
Email: antibody\_sales\_us@bio-rad.com

Fax: +44 (0)1865 852 739
Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M423160:231006'

### Printed on 12 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint