

Datasheet: 0400-0003

Specificity:MYELOPEROXIDASEFormat:PurifiedProduct Type:Monoclonal AntibodyClone:2A11Isotype:IgG2a	Description:	MOUSE ANTI HUMAN MYELOPEROXIDASE			
Product Type:Monoclonal AntibodyClone:2A11Isotype:IgG2a	Specificity:	MYELOPEROXIDASE			
Clone: 2A11 Isotype: IgG2a	Format:	Purified			
Isotype: IgG2a	Product Type:	Monoclonal Antibody			
	Clone:	2A11			
	Isotype:	IgG2a			
Quantity: 0.2 mg	Quantity:	0.2 mg			

Product Details

Stabilisers

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal						
	communications from the	originat	ors. Pleas	e refer to references ir	idicated for further		
	information. For general p	protocol	recommer	ndations, please visit <u>w</u>	ww.bio-		
	rad-antibodies.com/proto	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen						
	Immunohistology - Paraffin						
	ELISA						
	Western Blotting			•			
Target Species	system using the appropr Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein A.						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (Na	N ₃)					

Immunogen	Purified Human Myeloperoxidase.
External Database Links	UniProt: <u>P05164</u> <u>Related reagents</u> Entrez Gene: <u>4353</u> MPO <u>Related reagents</u>
RRID	AB_617349
Specificity	Mouse anti Human Myeloperoxidase antibody, clone 2A11 recognizes human myeloperoxidase (MPO). MPO is an important component of azurophilic granules in neutrophils, being involved in microbicidal processes. The protein is a multimer of 2 heavy chains (55kD) and two light chains (15kD), the heavy chains being linked by a disulphide bond.
References	1. Kluge, K.E. <i>et al.</i> (2020) Complement Activation in Association with Markers of Neutrophil Extracellular Traps and Acute Myocardial Infarction in Stable Coronary Artery Disease. <u>Mediators Inflamm. 2020: 5080743.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77)	<u>HRP</u>
Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>
Rabbit Anti Mouse IgG (STAR8)	DyLight®800
Goat Anti Mouse IgG (STAR76)	<u>RPE</u>
Human Anti Mouse IgG2a (HCA037)	<u>HRP</u>
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>
Rabbit Anti Mouse IgG (STAR13)	HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®680,

Alk. Phos., DyLight®488, DyLight®680 DyLight®800, FITC, HRP

Goat Anti Mouse IgG (STAR70...)

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

Recommended Useful Reagents

MOUSE ANTI HUMAN MYELOPEROXIDASE (0400-0002)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

FITC

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M381806:210512'

Printed on 18 May 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint