

## Datasheet: 0500-0098

Description:	RAT ANTI MOUSE FORSSMAN GLYCOSPHINGOLIPID
Specificity:	FORSSMAN GLYCOSPHINGOLIPID
Other names:	FO GSL
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	FOM-1
Isotype:	IgM
Quantity:	0.5 ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry			•				
	Immunohistology - Frozen	-			1/100 - 1/400			
	Immunohistology - Paraffin	-			1/100			
	Western Blotting			•				
	Where this product has n	ot been t	ested for ι	use in a particular tec	chnique this does not			
	necessarily exclude its us	necessarily exclude its use in such procedures. Suggested working dilutions are given as						
	a guide only. It is recomm	nended th	at the use	r titrates the product	for use in their own			
	system using the appropri	riate nega	tive/positi	ve controls.				
Target Species	Mouse							
Target Species Species Cross Reactivity	Mouse Reacts with: Sheep <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications further information.	testing wi	thin our la	boratories, peer-revi	ewed publications or			
Species Cross	Reacts with: Sheep <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications	testing wi	thin our la	boratories, peer-revi	ewed publications or			
Species Cross Reactivity	Reacts with: Sheep <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications further information.	testing wi s from the	thin our la	boratories, peer-reviers. Please refer to ref	ewed publications or			

Preservative Stabilisers	<0.1% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	0.2 mg/ml
Immunogen	Forsssman glycosphingolipid.
RRID	AB_620446
Specificity	Rat anti Forssmann glycosphingolipid antibody, clone FOM-1 recognizes Forssmann glycosphingolipid (FO GSL).
	FO GSL is a glycosphingolipid differentiation antigen, present on macrophages in the red pulp of the spleen, and the medulla of inguinal and axial lymph nodes. FO GSL is also present on reticular cells in the T-cell area of the spleen and lymph nodes. A subpopulation of FOM-1 positive macrophages also appear in the peritoneal cavity in response to inflammatory stimuli. Monocytes, granulocytes and other macrophages in lymphoid and non-lymphoid organs are not stained by Rat anti Forssmann glycosphingolipid antibody, clone FOM-1. Rat anti Forssmann glycosphingolipid antibody, clone FOM-1 also recognizes a marker present on sheep erythrocytes.
Histology Positive Control Tissue	Mouse spleen
References	1. Izumi, K, and Sawada, M.T. (2001) A novel assay method for glycosphingolipid deacylase by enzyme-linked immunochemical detection of lysoglycosphingolipid. <u>Lipids.</u> <u>36: 97-101.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>
Regulatory	For research purposes only

# **Related Products**

### **Recommended Secondary Antibodies**

Goat Anti Rat IgM (302001...) Biotin, RPE

#### Goat Anti Rat IgM (STAR116...) HRP

### **Recommended Useful Reagents**

#### ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A) 100x ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025C)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@b	bio-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M388968:210806'

#### Printed on 07 Jan 2022

© 2022 Bio-Rad Laboratories Inc | Legal | Imprint