

Datasheet: 0500-0100 **BATCH NUMBER 163975**

Description:	GOAT ANTI HUMAN IgG F(ab')2:Alk. Phos.
Specificity:	lgG F(ab')2
Format:	Alk. Phos.
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			1/1,000 - 1/10,000
Western Blotting	-			1/1,000 - 1/10,000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

External Database Links	UniProt:
Immunogen	Human serum.
Approx. Protein Concentrations	IgG concentration 0.6 mg/ml
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃) 1.5% Bovine Serum Albumin
Buffer Solution	TRIS buffered saline
Preparation	Purified IgG prepared by affinity chromatography
Product Form	Purified IgG conjugated to Alkaline Phosphatase - liquid
Target Species	Human

P01857	Related reagents
P01861	Related reagents
P01834	Related reagents
P01859	Related reagents
P01860	Related reagents
P0CG04	Related reagents

Entrez Gene:

<u>3500</u>	IGHG1	Related reagents
<u>3503</u>	IGHG4	Related reagents
<u>3501</u>	IGHG2	Related reagents
3502	IGHG3	Related reagents
<u>3514</u>	IGKC	Related reagents
28815	IGLV2-14	Related reagents

RRID

AB 616682

Specificity

Goat anti Human IgG F(ab')2 antibody will recognize both the heavy and light chains of the F(ab')2 portion of human IgG by IEP. This product will also react with light chains from other human immunoglobulin types. This antibody has been cross adsorbed against the Fc domain and will react with less than 1 % of the Fc domain of human IgG.

This peroxidase-labelled antibody is a performance tested, matched reagent for HuCAL antibodies.

References

- 1. Wang, Y. *et al.* (2011) Small interfering RNA knocks down the molecular target of alendronate, farnesyl pyrophosphate synthase, in osteoclast and osteoblast cultures. <u>Mol Pharm. 8 (4): 1016-24.</u>
- 2. Ohashi, M. *et al.* (2010) Post-translational modification of the NKG2D ligand RAET1G leads to cell surface expression of a glycosylphosphatidylinositol-linked isoform. <u>J Biol Chem. 285 (22): 16408-15.</u>
- 3. Thiede-Stan, N.K. *et al.* (2015) Tetraspanin-3 is an organizer of the multi-subunit Nogo-A signaling complex. <u>J Cell Sci. 128 (19): 3583-96.</u>
- 4. Mukbel, R.M. *et al.* (2016) Human immune response to salivary proteins of wild-caught *Phlebotomus papatasi*. <u>Parasitol Res. 115 (9): 3345-55.</u>
- 5. Back, J.W. *et al.* (2012) Selecting highly structure-specific antibodies using structured synthetic mimics of the cystine knot protein sclerostin. <u>Protein Eng Des Sel. 25 (5): 251-9.</u>

Storage

Stable for 6 weeks at 4°C as an undiluted liquid. For longer term storage (>6 weeks) please add an equal volume of glycerol and store at -20°C. Avoid freeze-thaw cycles.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/0500-0100

10058

Regulatory For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M388969:210806'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint