

Datasheet: 0754-8050

Description:	SHEEP ANTI BOVINE ASIALOFETUIN
Specificity:	ASIALOFETUIN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	-			1/1000 - 1/4000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

External Database Links	UniProt:		
Immunogen	Native		
Approx. Protein Concentrations	IgG concentration 5.0 mg/ml		
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)		
Buffer Solution	Phosphate buffered saline		
Preparation	Purified IgG prepared by affinity chromatography on Protein G		
Product Form	Purified IgG - liquid		
Target Species	Bovine		

Related reagents

P12763

Page 1 of 3

Entrez Gene:

280988 AHSG Related reagents

Synonyms	FETUA
RRID	AB_616939
Specificity	Sheep anti Bovine asialofetuin antibody recognizes bovine Alpha-2-HS-glycoprotein, also known as asialofetuin or fetuin-A. Asialofetuin is a 359 amino acid ~55kDa secreted glycoprotein containing two fetuin-A-type dystatin domains.
	Asialofetuin is produced in the liver and bone marrow and acts as a negative acute-phase protein attenuating the inflammatory response to acute injury (Wang et al. 2010).
	In a simple antigen down ELISA, Sheep anti Bovine asialofetuin antibody reacts with: asialofetuin (ab at 1/8000) 100% fetuin (ab at 1/2000) 100% fetuin (ab at 1/8000) 50%
References	 Blome, M.C. <i>et al.</i> (2010) Surface plasmon resonance analysis of ricin binding to plasma membranes isolated from NIH 3T3 cells. <u>Anal Biochem. 396: 212-6.</u> Bayer, H. <i>et al.</i> (2012) Evaluation of riproximin binding properties reveals a novel mechanism for cellular targeting. <u>J Biol Chem. 287 (43): 35873-86.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/0754-8050 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Sheep IgG (H/L) (5184-2304...) Biotin

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Tel: +44 (0)1865 852 700

Worldwide

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint