

Datasheet: 101002

Description:	GOAT ANTI MOUSE IgG/A/M (H/L):FITC
Specificity:	IgG IgA IgM (H/L)
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/5 - 1/20

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse						
Product Form	Ig Fraction conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	<table border="1"> <thead> <tr> <th>Fluorophore</th> <th>Excitation Max (nm)</th> <th>Emission Max (nm)</th> </tr> </thead> <tbody> <tr> <td>FITC</td> <td>490</td> <td>525</td> </tr> </tbody> </table>	Fluorophore	Excitation Max (nm)	Emission Max (nm)	FITC	490	525
Fluorophore	Excitation Max (nm)	Emission Max (nm)					
FITC	490	525					

Antiserum Preparation Antisera to Mouse IgG, IgA and IgM were raised by repeated immunisation of goats with pooled mouse IgG, IgA and IgM paraproteins.

Buffer Solution Phosphate buffered saline

Preservative Stabilisers 0.1% Sodium Azide (NaN₃)

Approx. Protein Concentrations IgG concentration 1mg/ml

Immunogen Purified mouse IgG, IgA and IgM.

External Database Links

UniProt:

P01864	Related reagents
P01872	Related reagents
P03987	Related reagents

[P01873](#) [Related reagents](#)
[P01868](#) [Related reagents](#)
[P01865](#) [Related reagents](#)
[P01869](#) [Related reagents](#)
[P01878](#) [Related reagents](#)
[P01867](#) [Related reagents](#)
[P01863](#) [Related reagents](#)
[P01844](#) [Related reagents](#)
[P01843](#) [Related reagents](#)
[P01845](#) [Related reagents](#)
[P01834](#) [Related reagents](#)

Entrez Gene:

[380793](#) Igh-1a [Related reagents](#)
[16019](#) Ighm [Related reagents](#)
[16017](#) Ighg1 [Related reagents](#)
[16019](#) Ighm [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)
[380795](#) AI324046 [Related reagents](#)
[3514](#) IGKC [Related reagents](#)
[16016](#) Ighg2b [Related reagents](#)
[16017](#) Ighg1 [Related reagents](#)
[16061](#) Igh-VJ558 [Related reagents](#)
[110786](#) Iglc2 [Related reagents](#)
[110787](#) Iglc3 [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)
[433053](#) LOC433053 [Related reagents](#)

Synonyms Igh-4

RRID AB_609711

Specificity **Goat anti Mouse IgG/A/M** reacts with the heavy and light chains of all major classes of mouse immunoglobulin.

The antibody has been adsorbed against human serum to minimise cross-reactivity with human immunoglobulins.

Flow Cytometry Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul.

References

1. Ding, G. *et al.* (2010) Effect of cryopreservation on biological and immunological properties of stem cells from apical papilla. [J Cell Physiol. 22: 415-22.](#)
2. Shao, L. *et al.* (2015) Comparative *In Vitro* and *In Vivo* Studies of Porcine Rotavirus G9P[13] and Human Rotavirus Wa G1P[8]. [J Virol. 90 \(1\): 142-51.](#)
3. Iver, S. *et al.* (2019) Probing BAK and BAX Activation and Pore Assembly with Cytochrome c Release, Limited Proteolysis, and Oxidant-Induced Linkage. [Methods Mol Biol. 1877: 201-16.](#)

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch.

Health And Safety Information Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M357900:190911'

Printed on 22 Oct 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)