

Datasheet: 101007 BATCH NUMBER 158472

Description:	GOAT ANTI MOUSE IgG/A/M (H/L):Texas Red®
Specificity:	IgG IgA IgM (H/L)
Format:	Texas Red®
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
	information. For genera	information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-			1/5 - 1/20			
	Immunofluorescence			•				
	Where this antibody ha	is not been te	sted for	use in a particular teo	chnique this does not			
	necessarily exclude its	use in such p	rocedur	es. Suggested workin	ng dilutions are given as			
a guide only. It is recommended that the user titrates the a					for use in their own			
	system using appropria							
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5 1						
Target Species	Mouse							
Product Form	Purified IgG conjugated	d to Texas Re	d [®] - liqu	id				
Max Ex/Em		Excitation Ma	x (nm)	Emission Max (nm)				
	Texas Red	596		615				
Preparation	Purified IgG prepared b covalently linked to aga		omatogra	aphy on pooled mous	e IgM, IgG and IgA			
Antiserum Preparatio	n Antisera to Mouse IgG, pooled mouse IgG, IgA				unisation of goats with			
Buffer Solution	Phosphate buffered sal	line						
Preservative Stabilisers	<0.1% Sodium Azide (N	NaN ₃)						

Approx. Protein Concentrations	IgG concen	tration 1.0 mg/	ml	
Immunogen	Purified mo	use IgG, IgA a	nd IgM.	
External Database Links	UniProt:			
LIIKS	P01864	Related re	agents	
	P01872	Related re		
	P03987	Related re	agents	
	<u>P01873</u>	Related re	agents	
	<u>P01868</u>	Related re	agents	
	<u>P01865</u>	Related re	agents	
	<u>P01869</u>	Related re	agents	
	<u>P01878</u>	Related re	agents	
	<u>P01867</u>	Related re	agents	
	<u>P01863</u>	Related re	agents	
	<u>P01844</u>	Related re	agents	
	<u>P01843</u>	Related re	agents	
	<u>P01845</u>	Related re	agents	
	<u>P01834</u>	Related re	agents	
	Entrez Ge	ne:		
	<u>380793</u>	lgh-1a	Related reagents	
	<u>16019</u>	lghm	Related reagents	
	<u>16017</u>	lghg1	Related reagents	
	<u>16019</u>	lghm	Related reagents	
	<u>380793</u>	lgh-1a	Related reagents	
	<u>380795</u>	AI324046	Related reagents	
	<u>3514</u>	IGKC	Related reagents	
	<u>16016</u>	lghg2b	Related reagents	
	<u>16017</u>	lghg1	Related reagents	
	<u>16061</u>	lgh-VJ558	Related reagents	
	<u>110786</u>	lglc2	Related reagents	
	<u>110787</u>	lglc3	Related reagents	
	<u>380793</u>	lgh-1a	Related reagents	
	<u>433053</u>	LOC433053	Related reagents	
Synonyms	lgh-4			
RRID	AB_609678	3		

Specificity Goat anti Mouse IgG/A/M reacts with the heavy and light chains of all major classes of mouse immunoglobulin.

The antibody has been adsorbed against human serum to minimise cross-reactivity with

		human immunoglobul	ins.			
Flow Cyto	metry	 Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul 1. Ding, G. <i>et al.</i> (2010) Effect of cryopreservation on biological and immunological properties of stem cells from apical papilla. J Cell Physiol. 22: 415-22. 2. Shao, L. <i>et al.</i> (2015) Comparative <i>In Vitro</i> and <i>In Vivo</i> Studies of Porcine Rotavirus G9P[13] and Human Rotavirus Wa G1P[8]. J Virol. 90 (1): 142-51. 3. Iver, S. <i>et al.</i> (2019) Probing BAK and BAX Activation and Pore Assembly with Cytochrome c Release, Limited Proteolysis, and Oxidant-Induced Linkage. Methods Mol Biol. 1877: 201-16. 				
Reference	S					
Storage		This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
		Avoid repeated freezing frost-free freezers is not set the free freezers is not set the freezers is not set to be a set of the freezers is not set to be a set of the freezers is not s	ng and thawing as this ma ot recommended.	ay denature th	ne antibody. Storage in	
Guarantee	1	Guaranteed until date	of expiry. Please see pro	duct label.		
Acknowledgements Texas Red [®] is a registered trademark of Molecular Probes,		nc				
Health And Informatio		•	heet documentation #100 htibodies.com/SDS/10100		at:	
Regulatory	/	For research purpose	s only			
nerica	Tel: +1 800 265 Fax: +1 919 878 Email: antibody_		Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-ra	Europe ad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	
To find a ba	tch/lot speci	fic datasheet for this produ	uct, please use our online se 'M387159:210615'	earch tool at: b	io-rad-antibodies.com/datasheet	

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint