Datasheet: 102001 BATCH NUMBER 169220

Description:	GOAT ANTI MOUSE IgI			
Specificity:	IgM			
Format:	Purified			
Product Type:	Polyclonal Antibody			
lsotype:	Polyclonal IgG			
Quantity:	1 mg			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further								
	-	information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.								
		Yes	No	Not Determined	Suggested Dilution				
	Flow Cytometry								
	Immunohistology - Frozen			•					
	Immunohistology - Paraffin								
	ELISA	•							
	Immunoprecipitation			•					
	Western Blotting			•					
	Immunofluorescence	•							
	Where this product has n	ot been te	ested for u	se in a particular tech	inique this does not				
	necessarily exclude its us a guide only. It is recomn system using appropriate	nended th	at the use	r titrates the product f					
Target Species	Mouse								
Product Form	Purified IgG - liquid								
Antiserum Preparatio	n Purified Ig prepared by a	ffinity chro	omatograp	hy on IgM covalently	linked to agarose				
Buffer Solution	Borate buffered saline								
Preservative Stabilisers	None present								
Approx. Protein Concentrations	lg concentration 1.0 mg/r	nl							

Immunogen	Mouse IgM paraproteins
External Database Links	UniProt:
	P01872 Related reagents
	P01873 Related reagents
	Entrez Gene:
	16019 Ighm Related reagents
	<u>16019</u> Ighm <u>Related reagents</u>
	Toorto Iginin <u>riciated reagento</u>
RRID	AB_618651
Specificity	Goat anti mouse IgM antibody recognises the heavy chain of mouse IgM as
	demonstrated by ELISA and flow cytometry. Minimal cross reactivity is observed with human immunoglobulins.
	Goat anti mouse IgM antibody has been cross absorbed against Mouse IgG ₁ , IgG _{2a} ,
	IgG _{2b} , IgG ₃ and IgA, pooled human sera and purified human paraproteins.
References	1. Kerr, K. <i>et al.</i> (2010) Inflammatory cytokine responses in a pregnant mouse model of
	Chlamydophila abortus infection. <u>Vet Microbiol. 144 (3-4): 392-8.</u>
	2. Kamat, M.M. <i>et al.</i> (2016) Changes in Myeloid Lineage Cells in the Uterus and
	Peripheral Blood of Dairy Heifers During Early Pregnancy. <u>Biol Reprod. 95 (3): 68.</u>
	3. Monzo, H.J. <i>et al.</i> (2017) Insulin promotes cell migration by regulating PSA-NCAM. Exp
	<u>Cell Res. 355 (1): 26-39.</u>
	4. Desancé, M. <i>et al.</i> (2018) Chondrogenic Differentiation of Defined Equine Mesenchymal
	Stem Cells Derived from Umbilical Cord Blood for Use in Cartilage Repair Therapy. <u>Int J</u> <u>Mol Sci.19 (2): 537.</u>
	5. Penadés, M. <i>et al.</i> (2018) Long-term implications of feed energy source in different
	genetic types of reproductive rabbit females. II. Immunologic status. <u>Animal. 12 (9):</u>
	<u>1877-85.</u>
	6. Penadés, M. <i>et al.</i> (2019) Early deviations in performance, metabolic and
	immunological indicators affect stayability in rabbit females. <u>Animal. : 1-10.</u>
	7. Tchen, J. <i>et al.</i> (2024) PD-L1- and IL-4-expressing basophils promote pathogenic
	accumulation of T follicular helper cells in lupus. <u>Nat Commun. 15 (1): 3389.</u>
Storage	Store at -20°C only.
	Storage in frost-free freezers is not recommended.
	This product should be stored undiluted. Avoid repeated freezing and thawing as this may
	denature the antibody. Should this product contain a precipitate we recommend
	microcentrifugation before use.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever
	comes first. Please see label for expiry date.
Health And Safety	Material Safety Datasheet documentation #10123 available at:
Information	https://www.bio-rad-antibodies.com/SDS/102001

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	id.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M427875:240301'

Printed on 19 Aug 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint