

## Datasheet: 102007

<b>Description:</b>	GOAT ANTI MOUSE IgM:Texas Red®
<b>Specificity:</b>	IgM
<b>Format:</b>	Texas Red®
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Mouse		
<b>Product Form</b>	Purified Ig conjugated to Texas Red (TXRD) - Liquid		
<b>Max Ex/Em</b>	<b>Fluorophore</b>	<b>Excitation Max (nm)</b>	<b>Emission Max (nm)</b>
	Texas Red	596	615

**Antiserum Preparation** Purified Ig prepared by affinity chromatography on IgM covalently linked to agarose.

<b>Buffer Solution</b>	Phosphate buffered saline.
<b>Preservative Stabilisers</b>	0.09% sodium azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	Ig concentration 1.0 mg/ml
<b>Immunogen</b>	Mouse IgM paraproteins
<b>External Database</b>	<b>UniProt:</b>

**Links**[P01872](#)   [Related reagents](#)[P01873](#)   [Related reagents](#)**Entrez Gene:**[16019](#)   Ighm   [Related reagents](#)[16019](#)   Ighm   [Related reagents](#)**RRID**

AB\_616888

**Specificity**

**Goat anti mouse IgM antibody** recognises the heavy chain of mouse IgM as demonstrated by ELISA and flow cytometry. Minimal cross reactivity is observed with human immunoglobulins.

Goat anti mouse IgM antibody has been cross absorbed against Mouse IgG<sub>1</sub>, IgG<sub>2a</sub>, IgG<sub>2b</sub>, IgG<sub>3</sub> and IgA, pooled human sera and purified human paraproteins.

**References**

1. Kerr, K. *et al.* (2010) Inflammatory cytokine responses in a pregnant mouse model of *Chlamydomyphila abortus* infection. [Vet Microbiol. 144 \(3-4\): 392-8.](#)
2. Kamat, M.M. *et al.* (2016) Changes in Myeloid Lineage Cells in the Uterus and Peripheral Blood of Dairy Heifers During Early Pregnancy. [Biol Reprod. 95 \(3\): 68.](#)
3. Monzo, H.J. *et al.* (2017) Insulin promotes cell migration by regulating PSA-NCAM. [Exp Cell Res. 355 \(1\): 26-39.](#)
4. Desancé, M. *et al.* (2018) Chondrogenic Differentiation of Defined Equine Mesenchymal Stem Cells Derived from Umbilical Cord Blood for Use in Cartilage Repair Therapy. [Int J Mol Sci. 19 \(2\)Feb 10 \[Epub ahead of print\].](#)
5. Penadés, M. *et al.* (2018) Long-term implications of feed energy source in different genetic types of reproductive rabbit females. II. Immunologic status. [Animal. 12 \(9\): 1877-85.](#)
6. Penadés, M. *et al.* (2019) Early deviations in performance, metabolic and immunological indicators affect stayability in rabbit females. [Animal. : 1-10.](#)

**Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

**Guarantee**

Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.

**Acknowledgements**

Texas Red is a registered trademark of Molecular Probes, Inc.

**Health And Safety Information**

Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/102007>  
10040

---

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M420284:230706'

Printed on 06 Jul 2023