

Datasheet: 103001

BATCH NUMBER 170910

Description:	GOAT ANTI MOUSE IgG
Specificity:	IgG
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/2000 - 1/4000
Immunoprecipitation			▪	
Western Blotting			▪	
Immunoblotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

Target Species	Mouse
Product Form	Ig fraction - liquid
Preparation	Purified Ig prepared by affinity chromatography on pooled mouse IgG covalently linked to agarose
Antiserum Preparation	Antisera to mouse IgG were raised by repeated immunisations of goats with highly purified antigen.
Buffer Solution	Borate buffered saline
Preservative	None Present

Stabilisers

Approx. Protein Concentrations Ig concentration 1.0 mg/ml

External Database Links

UniProt:

[P01867](#) [Related reagents](#)
[P01865](#) [Related reagents](#)
[P01863](#) [Related reagents](#)
[P01864](#) [Related reagents](#)
[P01868](#) [Related reagents](#)
[P01869](#) [Related reagents](#)
[P03987](#) [Related reagents](#)

Entrez Gene:

[16016](#) Ighg2b [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)
[16017](#) Ighg1 [Related reagents](#)
[16017](#) Ighg1 [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)
[380795](#) AI324046 [Related reagents](#)

Synonyms Igh-4

RRID AB_609693

Specificity **Goat anti Mouse IgG antibody** recognizes mouse IgG, recognising the heavy chain of mouse IgG1, IgG2a, IgG2b and IgG3 as demonstrated by ELISA.

Goat anti Mouse IgG antibody has been cross-adsorbed against mouse IgM, mouse IgA and human serum to reduce potential cross-reactivity.

References

1. Joimel, U. *et al.* (2010) Stimulation of angiogenesis resulting from cooperation between macrophages and MDA-MB-231 breast cancer cells: proposed molecular mechanism and effect of tetrathiomolybdate. [BMC Cancer. 10: 375.](#)
2. Childs K *et al.* (2012) Paramyxovirus V proteins interact with the RNA Helicase LGP2 to inhibit RIG-I-dependent interferon induction. [J Virol. 86 \(7\): 3411-21.](#)
3. Moalli, F. *et al.* (2015) Intravital and whole-organ imaging reveals capture of melanoma-derived antigen by lymph node subcapsular macrophages leading to widespread deposition on follicular dendritic cells. [Front Immunol. 6: 114.](#)
4. Ramos-Sevillano, E. *et al.* (2016) PSGL-1 on Leukocytes is a Critical Component of the Host Immune Response against Invasive Pneumococcal Disease. [PLoS Pathog. 12 \(3\): e1005500.](#)
5. Abbate, F. *et al.* (2016) Acid-sensing ion channel immunoreactivities in the cephalic neuromasts of adult zebrafish. [Ann Anat. 207: 27-31.](#)

6. Shea, G.K. *et al.* (2020) Juxtacrine signalling via Notch and ErbB receptors in the switch to fate commitment of bone marrow-derived Schwann cells. [Eur J Neurosci. 52 \(5\): 3306-21.](#)
7. Siqueira, R.F. & Fernandes, R.L. (2018) Cryopreservation of lymphocytes for immunological studies in horses [Pesquisa Veterinária Brasileira. 38 \(11\): 2019-22.](#)
8. Miguelena Chamorro, B. *et al.* (2023) Characterization of Canine Peyer's Patches by Multidimensional Analysis: Insights from Immunofluorescence, Flow Cytometry, and Single-Cell RNA Sequencing. [Immunohorizons. 7 \(11\): 788-805.](#)
9. Murugaiah, V. *et al.* (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. [J Infect Dis. Sep 24 \[Epub ahead of print\].](#)
10. Kusá, Z. *et al.* (2025) Alterations in the proteomic profiles of Arabidopsis roots triggered by sodium chloride stress are exacerbated by impaired function of SYNAPTOTAGMIN 1. [BMC Plant Biol. 25 \(1\): 1640.](#)

Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10123 available at: https://www.bio-rad-antibodies.com/SDS/103001
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M427881:240301'

Printed on 15 Jan 2026