

Datasheet: 103005

**BATCH NUMBER 159170**

|                      |                         |
|----------------------|-------------------------|
| <b>Description:</b>  | GOAT ANTI MOUSE IgG:HRP |
| <b>Specificity:</b>  | IgG                     |
| <b>Format:</b>       | HRP                     |
| <b>Product Type:</b> | Polyclonal Antibody     |
| <b>Isotype:</b>      | Polyclonal IgG          |
| <b>Quantity:</b>     | 1 ml                    |

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

|                            | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry             |     |    | ▪              |                    |
| Immunohistology - Frozen   |     |    | ▪              |                    |
| Immunohistology - Paraffin |     |    | ▪              |                    |
| ELISA                      | ▪   |    |                | 1/2000 - 1/5000    |
| Immunoprecipitation        |     |    | ▪              |                    |
| Western Blotting           |     |    | ▪              |                    |
| Immunoblotting             |     |    | ▪              |                    |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

|                              |  |
|------------------------------|--|
| <b>Target Species</b>        | Mouse  |
| <b>Product Form</b>          | Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid                                   |
| <b>Preparation</b>           | Purified IgG prepared by affinity chromatography on pooled mouse IgG covalently linked to agarose. |
| <b>Antiserum Preparation</b> | Antisera to mouse IgG were raised by repeated immunisations of goats with highly purified antigen. |
| <b>Buffer Solution</b>       | Phosphate buffered saline  |
| <b>Preservative</b>          | 50% Glycerol   |

## External Database

## Links

## UniProt:

|                        |                                  |
|------------------------|----------------------------------|
| <a href="#">P01867</a> | <a href="#">Related reagents</a> |
| <a href="#">P01865</a> | <a href="#">Related reagents</a> |
| <a href="#">P01863</a> | <a href="#">Related reagents</a> |
| <a href="#">P01864</a> | <a href="#">Related reagents</a> |
| <a href="#">P01868</a> | <a href="#">Related reagents</a> |
| <a href="#">P01869</a> | <a href="#">Related reagents</a> |
| <a href="#">P03987</a> | <a href="#">Related reagents</a> |

## Entrez Gene:

|                        |          |                                  |
|------------------------|----------|----------------------------------|
| <a href="#">16016</a>  | Ighg2b   | <a href="#">Related reagents</a> |
| <a href="#">380793</a> | Igh-1a   | <a href="#">Related reagents</a> |
| <a href="#">16017</a>  | Ighg1    | <a href="#">Related reagents</a> |
| <a href="#">16017</a>  | Ighg1    | <a href="#">Related reagents</a> |
| <a href="#">380793</a> | Igh-1a   | <a href="#">Related reagents</a> |
| <a href="#">380793</a> | Igh-1a   | <a href="#">Related reagents</a> |
| <a href="#">380795</a> | AI324046 | <a href="#">Related reagents</a> |

## Synonyms

Igh-4

## RRID

AB\_609692

## Specificity

**Goat anti Mouse IgG antibody** recognizes mouse IgG, recognising the heavy chain of mouse IgG1, IgG2a, IgG2b and IgG3 as demonstrated by ELISA.

Goat anti Mouse IgG antibody has been cross-adsorbed against mouse IgM, mouse IgA and human serum to reduce potential cross-reactivity.

## References

1. Joimel, U. *et al.* (2010) Stimulation of angiogenesis resulting from cooperation between macrophages and MDA-MB-231 breast cancer cells: proposed molecular mechanism and effect of tetrathiomolybdate. [BMC Cancer. 10: 375.](#)
2. Childs K *et al.* (2012) Paramyxovirus V proteins interact with the RNA Helicase LGP2 to inhibit RIG-I-dependent interferon induction. [J Virol. 86 \(7\): 3411-21.](#)
3. Moalli, F. *et al.* (2015) Intravital and whole-organ imaging reveals capture of melanoma-derived antigen by lymph node subcapsular macrophages leading to widespread deposition on follicular dendritic cells. [Front Immunol. 6: 114.](#)
4. Ramos-Sevillano, E. *et al.* (2016) PSGL-1 on Leukocytes is a Critical Component of the Host Immune Response against Invasive Pneumococcal Disease. [PLoS Pathog. 12 \(3\): e1005500.](#)
5. Abbate, F. *et al.* (2016) Acid-sensing ion channel immunoreactivities in the cephalic neuromasts of adult zebrafish. [Ann Anat. 207: 27-31.](#)
6. Shea, G.K. *et al.* (2020) Juxtacrine signalling via Notch and ErbB receptors in the switch to fate commitment of bone marrow-derived Schwann cells. [Eur J Neurosci. 52 \(5\): 3306-21.](#)

|                                      |  |
|--------------------------------------|--|
| <b>Storage</b>                       | Store at -20°C only.<br>Storage in frost-free freezers is not recommended.<br>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. |
| <b>Guarantee</b>                     | Guaranteed until date of expiry. Please see product label.   |
| <b>Health And Safety Information</b> | Material Safety Datasheet documentation #10106 available at:<br><a href="https://www.bio-rad-antibodies.com/SDS/103005">https://www.bio-rad-antibodies.com/SDS/103005</a><br>10106   |
| <b>Regulatory</b>                    | For research purposes only   |

## Related Products

### Recommended Useful Reagents

[AbGUARD® HRP STABILIZER PLUS \(BUF052A\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052B\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052C\)](#)

[TMB CORE \(BUF056A\)](#)

[TMB CORE+ \(BUF062A\)](#)

[TMB SIGNAL+ \(BUF054A\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)  
'M350079:190307'

Printed on 14 Mar 2024