

## Datasheet: 103006

<b>Description:</b>	GOAT ANTI MOUSE IgG:BGAL
<b>Specificity:</b>	IgG
<b>Format:</b>	BGAL
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 ml

## Product Details

**RRID** AB\_609690

**Applications** This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/200 - 1/500
Immunoprecipitation			▪	
Western Blotting			▪	
Immunoblotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

**Target Species** Mouse

**Product Form** Purified IgG conjugated to Beta Galactosidase - liquid

**Antiserum Preparation** Antisera to mouse IgG were raised by repeated immunisations of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography on pooled mouse IgG covalently linked to agarose.

**Buffer Solution** Phosphate buffered saline

**Preservative** 0.1% Sodium Azide (NaN<sub>3</sub>)  
**Stabilisers** 50% Glycerol

**External Database Links**

**UniProt:**  
[P01867](#) [Related reagents](#)  
[P01865](#) [Related reagents](#)

[P01863](#) [Related reagents](#)  
[P01864](#) [Related reagents](#)  
[P01868](#) [Related reagents](#)  
[P01869](#) [Related reagents](#)  
[P03987](#) [Related reagents](#)

**Entrez Gene:**

[16016](#) Ighg2b [Related reagents](#)  
[380793](#) Igh-1a [Related reagents](#)  
[16017](#) Ighg1 [Related reagents](#)  
[16017](#) Ighg1 [Related reagents](#)  
[380793](#) Igh-1a [Related reagents](#)  
[380793](#) Igh-1a [Related reagents](#)  
[380795](#) AI324046 [Related reagents](#)

---

**Synonyms**

Igh-4

---

**Specificity**

**Goat anti Mouse IgG antibody** recognizes mouse IgG, recognising the heavy chain of mouse IgG1, IgG2a, IgG2b and IgG3 as demonstrated by ELISA.

Goat anti Mouse IgG antibody has been cross-adsorbed against mouse IgM, mouse IgA and human serum to reduce potential cross-reactivity.

---

**References**

1. Joimel, U. *et al.* (2010) Stimulation of angiogenesis resulting from cooperation between macrophages and MDA-MB-231 breast cancer cells: proposed molecular mechanism and effect of tetrathiomolybdate. [BMC Cancer. 10: 375.](#)
2. Childs K *et al.* (2012) Paramyxovirus V proteins interact with the RNA Helicase LGP2 to inhibit RIG-I-dependent interferon induction. [J Virol. 86 \(7\): 3411-21.](#)
3. Moalli, F. *et al.* (2015) Intravital and whole-organ imaging reveals capture of melanoma-derived antigen by lymph node subcapsular macrophages leading to widespread deposition on follicular dendritic cells. [Front Immunol. 6: 114.](#)
4. Ramos-Sevillano, E. *et al.* (2016) PSGL-1 on Leukocytes is a Critical Component of the Host Immune Response against Invasive Pneumococcal Disease. [PLoS Pathog. 12 \(3\): e1005500.](#)
5. Abbate, F. *et al.* (2016) Acid-sensing ion channel immunoreactivities in the cephalic neuromasts of adult zebrafish. [Ann Anat. 207: 27-31.](#)

---

**Storage**

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee**

Guaranteed until date of expiry. Please see product label.

---

**Health And Safety Information**

Material Safety Datasheet documentation #10328 available at:  
10328: <https://www.bio-rad-antibodies.com/uploads/MSDS/10328.pdf>

---

**Regulatory**

For research purposes only

---

**North & South America** Tel: +1 800 265 7376  
Fax: +1 919 878 3751

**Worldwide** Tel: +44 (0)1865 852 700  
Fax: +44 (0)1865 852 739

**Europe** Tel: +49 (0) 89 8090 95 21  
Fax: +49 (0) 89 8090 95 50

**Printed on 20 May 2019**

---