

Datasheet: 106004

Description:	GOAT ANTI MOUSE LAMBDA LIGHT CHAIN:Alk. Phos.
Specificity:	LAMBDA LIGHT CHAIN
Format:	Alk. Phos.
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications	This product has been re derived from testing withi communications from the	n our labo originato	oratories, rs. Please	peer-reviewed publica e refer to references ir	ations or personal ndicated for further
	information. For general		ecommen	dations, please visit <u>w</u>	<u>/ww.bio-</u>
	rad-antibodies.com/proto	<u>cols</u> .			
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry				
	Immunohistology - Frozen				
	Immunohistology - Paraffin			•	
	ELISA	•			1/2000 - 1/4000
	Western Blotting			•	
	Immunoblotting				
	Where this product has n	ot been te	ested for u	use in a particular tecl	nnique this does not
	necessarily exclude its us	se in such	procedu	es. Suggested workir	ng dilutions are given as
	a guide only. It is recomm		•		
	system using appropriate			•	
Target Species	Mouse				
Product Form	Purified IgG conjugated t	o Alkaline	Phospha	tase - liquid	
Antiserum Preparatio	n Antisera to mouse lambd with highly purified antige chromatography on poole	en. Purifie	d lg was p	prepared from whole s	serum by affinity
Buffer Solution	TRIS buffered saline, 1m	M MgCl2			
Preservative Stabilisers	<0.1% Sodium Azide (Na 50% Glycerol	aN ₃)			
Immunogen	Mouse paraproteins with	lambda 1	and lamb	oda 2 light chains.	

Links	UniProt:
	P01843 Related reagents
	P01844 Related reagents
	Entrez Gene:
	433053 LOC433053 Related reagents
	110786 Iglc2 Related reagents
RRID	AB_609764
Specificity	Goat anti Mouse Lambda Light Chain antibody recognizes mouse lambda 1 and lambda 2 light chains (free and bound) as demonstrated by ELISA. To minimise cross reactivity this product has been cross absorbed against mouse paraproteins with kappa light chains.
References	 Rops, A.L. <i>et al.</i> (2010) The tetraspanin CD37 protects against glomerular IgA deposition and renal pathology. <u>Am J Pathol. 176 (5): 2188-97.</u> Lewis, A. <i>et al.</i> (2017) Recovery from desensitization of IgE-dependent responses in human lung mast cells. <u>Clin Exp Allergy. 47 (8): 1022-31.</u>
	 Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u> [Epub ahead of print].
Storage	 Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u>
Storage	 3. Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> 4. Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> 5. Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u> [Epub ahead of print]. This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
Storage	 3. Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> 4. Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> 5. Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u> [Epub ahead of print]. This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C
	 3. Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> 4. Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> 5. Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u> [Epub ahead of print]. This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
	 3. Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> 4. Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> 5. Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u> [Epub ahead of print]. This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in
Storage Guarantee Health And Safety	 3. Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> 4. Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> 5. Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u> [Epub ahead of print]. This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	 3. Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> 4. Wang, Z. <i>et al.</i> (2023) Reducing cell intrinsic immunity to mRNA vaccine alters adapt immune responses in mice. <u>Mol Ther Nucleic Acids. 34: 102045.</u> 5. Murugaiah, V. <i>et al.</i> (2024) A transgenic mouse with a humanised B cell repertoire mounts an antibody response to influenza infection and vaccination. <u>J Infect Dis. Sep 2</u> [Epub ahead of print]. This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guaranteed for 12 months from the date of despatch or until the date of expiry, whicher comes first. Please see label for expiry date.

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com

'M427898:240301'

Printed on 27 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint