

Datasheet: 106005 BATCH NUMBER 160200

Description:	GOAT ANTI MOUSE LAMBDA LIGHT CHAIN:HRP				
Specificity:	LAMBDA LIGHT CHAIN				
Format:	HRP				
Product Type:	Polyclonal Antibody				
Isotype:	Polyclonal IgG				
Quantity:	1 ml				

Product Details

Ves No Not Determined Suggested Dilution Flow Cytometry • • • Immunohistology - Frozen • • • Immunohistology - Paraffin • • • ELISA • 1/4000 - 1/8000 • Western Blotting • • • Immunobiting • • • • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Mouse • • • • Product Form Ig Fraction conjugated to Horseradish Peroxidase (HRP) - liquid • <t< th=""><th>Applications</th><th colspan="8">This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.</th></t<>	Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
Immunohistology - Frozen • Immunohistology - Paraffin • ELISA • Western Blotting • Immunohistology - Paraffin • ELISA • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Mouse Product Form Ig Fraction conjugated to Horseradish Peroxidase (HRP) - liquid Antiserum Preparation Antisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose. Buffer Solution Phosphate buffered saline Preservative Stabilisers 50% glycerol				No	Not Determined	Suggested Dilution			
Immunohistology - Paraffin • ELISA • 1/4000 - 1/8000 Western Blotting • • Immunoblotting • • Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. Target Species Mouse Product Form Ig Fraction conjugated to Horseradish Peroxidase (HRP) - liquid Antiserum Preparation Antisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose. Buffer Solution Phosphate buffered saline Preservative Stabilisers 50% glycerol		Flow Cytometry			•				
ELISA•1/4000 - 1/8000Western Blotting•Immunoblotting•Immunoblotting•Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum PreparationAntisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol		Immunohistology - Frozen			•				
Western Blotting•Immunoblotting•Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum Preparation with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol		Immunohistology - Paraffin			•				
ImmunoblottingWhere this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum PreparationAntisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol		ELISA	•			1/4000 - 1/8000			
Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum Preparation with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol		Western Blotting							
necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum PreparationAntisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol		Immunoblotting							
a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum PreparationAntisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol		Where this product has not been tested for use in a particular technique this does not							
system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum PreparationAntisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol									
system using appropriate negative/positive controls.Target SpeciesMouseProduct FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum PreparationAntisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol									
Product FormIg Fraction conjugated to Horseradish Peroxidase (HRP) - liquidAntiserum PreparationAntisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol		• •			•				
Antiserum Preparation Antisera to mouse lambda light chains were raised by repeated immunisations of goats with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose. Buffer Solution Phosphate buffered saline Preservative Stabilisers 50% glycerol	Target Species	Mouse							
with highly purified antigen. Purified Ig was prepared from whole serum by affinity chromatography on pooled mouse Igs with lambda chains covalently linked to agarose.Buffer SolutionPhosphate buffered salinePreservative Stabilisers50% glycerol	Product Form	Ig Fraction conjugated to	Horserad	ish Perox	idase (HRP) - liquid				
Preservative 50% glycerol Stabilisers 50% glycerol	Antiserum Preparation	with highly purified antige	en. Purifie	d Ig was p	prepared from whole	serum by affinity			
50% glycerol Stabilisers	Buffer Solution	Phosphate buffered salin	e						
Immunogen Mouse paraproteins with lambda 1 and lambda 2 light chains.		50% glycerol							
	Immunogen	Mouse paraproteins with	lambda 1	and lamb	oda 2 light chains.				

External Database Links	UniProt:P01843Related reagentsP01844Related reagents						
	Entrez Gene: 433053 LOC433053 <u>Related reagents</u>						
	<u>110786</u> Iglc2 <u>Related reagents</u>						
RRID	AB_609763						
Specificity	Goat anti Mouse Lambda Light Chain antibody recognizes mouse lambda 1 and lambda 2 light chains (free and bound) as demonstrated by ELISA. To minimise cross reactivity this product has been cross absorbed against mouse paraproteins with kappa light chains.						
References	 Rops, A.L. <i>et al.</i> (2010) The tetraspanin CD37 protects against glomerular IgA deposition and renal pathology. <u>Am J Pathol. 176 (5): 2188-97.</u> Lewis, A. <i>et al.</i> (2017) Recovery from desensitization of IgE-dependent responses in human lung mast cells. <u>Clin Exp Allergy. Feb 25. [Epub ahead of print]</u> Blakney, A.K. <i>et al.</i> (2021) Innate Inhibiting Proteins Enhance Expression and Immunogenicity of Self-Amplifying RNA. <u>Mol Ther. 29 (3): 1174-85.</u> 						
Storage	Store at -20 ^o C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted.						
Guarantee	Guaranteed until date of expiry. Please see product label.						
Health And Safety Information	Material Safety Datasheet documentation #10106 available at: https://www.bio-rad-antibodies.com/SDS/106005 10106						
Regulatory	For research purposes only						

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-	-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M350092:190307'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint