

Datasheet: 1065002S BATCH NUMBER 162559

Description:	MOUSE ANTI HUMAN ZAP 70:FITC
Specificity:	ZAP 70
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	SBZAP
Isotype:	IgG1
Quantity:	25 μg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	-			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1)Membrane permeabilisation is required for this application. Bio-Rad recommends the use of Leucoperm $^{\text{TM}}$ (Product Code <u>BUF09</u>) for this purpose.

Target Species	Human		
Product Form	Purified IgG conju	gated to Fluorescein Isotl	niocyanate Isomer 1 (F
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
Buffer Solution	Phosphate buffere	ed saline	
Preservative Stabilisers	<0.1% Sodium Az	ide (NaN ₃)	
Approx. Protein Concentrations	IgG concentration	0.1 mg/ml	

Immunogen	Synthetic peptide corresponding to amino acids 280-309 of human ZAP70 conjugated to keyhole limpet hemocyanin (KLH).		
External Database Links	UniProt: P43403 Related reagents Entrez Gene: 7535 ZAP70 Related reagents		
Synonyms	SRK		
RRID	AB_616761		
Specificity	Mouse anti Human ZAP 70 antibody, clone SBZAP recognizes human ZAP-70, a 70kDa tyrosine protein kinase which associates with the T-cell receptor (TCR) zeta chain and undergoes phosphorylation following TCR stimulation. ZAP-70 is primarily expressed in T lymphocytes and natural killer cells, where it plays a key role in T-cell receptor (TCR) signalling. ZAP-70 is also expressed in a population of normal immature B-cells and in B-cells from a sub-set of patients with chronic lymphocytic leukaemia (Deglesne et al. 2006).		
References	 Roifman, C.M. <i>et al.</i> (1989) Depletion of CD8+ cells in human thymic medulla results in selective immune deficiency. <u>J Exp Med. 170 (6): 2177-82.</u> Arpaia, E. <i>et al.</i> (1994) Defective T cell receptor signaling and CD8+ thymic selection in humans lacking zap-70 kinase. <u>Cell. 76 (5): 947-58.</u> 		
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.		
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.		
Guarantee	Guaranteed until date of expiry. Please see product label.		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/1065002S 10040		
Regulatory	For research purposes only		

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

Recommended Useful Reagents

LEUCOPERM (BUF09)
LEUCOPERM (BUF09B)
LEUCOPERM (BUF09C)
HUMAN SEROBLOCK (BUF070A)
HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387482:210629'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint