

Datasheet: 12020044

Description:	TrailBlazer SBV670 Label Kit
Name:	TrailBlazer StarBright Violet 670 Label Kit
Format:	StarBright Violet 670
<b>Product Type:</b>	Conjugation Kit
Quantity:	1 X 100 μg Antibody Conjugation

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Conjugation	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	StarBright Violet 670	401	667

#### **Product Information**

TrailBlazer<sup>TM</sup> StarBright<sup>TM</sup> Dye Label is the second part of a two-kit antibody labeling system. Together with the <u>TrailBlazer Tag kit</u> it will allow you to conjugate an antibody to superior StarBright Dyes using the innovative <u>SpyTag and SpyCatcher technology</u>. They provide the benefits of using StarBright Dyes in flow cytometry and western blots for your antibody of choice.

First, the SpyTag is attached to an antibody using the TrailBlazer Tag Kit. This antibody, now with a SpyTag, is then mixed with a StarBright Dye labeled SpyCatcher using the Label Kit. A spontaneous reaction occurs between the SpyTag and SpyCatcher resulting in an irreversible covalent isopeptide bond. The result is a highly stable StarBright Dye labeled antibody, which should be stored at +4°C in the dark, and when stored correctly will be stable for up to 12 months.

Batch specific <u>Certificate of Analysis</u> for TrailBlazer StarBright Dye Label Kits are available to be downloaded directly from the website.

In flow cytometry we suggest using  $5\mu$ I of the undiluted labeled antibody to stain  $10^6$  cells in  $100\mu$ I. However, we highly recommend that you <u>titrate the antibody</u> to determine the optimal amount of antibody for your specific experiment.

The TrailBlazer StarBright Dye Label Kits are available in different pack sizes and for a range of StarBright Dyes. Discover the <u>full range</u> and all the <u>benefits of these TrailBlazer Tag and StarBright Dye Label Kits</u>.

Health And Safety Information	Material Safety Datasheet documentation #12020040 available at:  https://www.bio-rad-antibodies.com/SDS/12020044 12020040
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details
Guarantee	12 months from date of despatch
	The StarBright Dye labeled antibody should be stored undiluted at +4°C in the dark for up to 1 year.
Storage	Store at +4°C. DO NOT FREEZE.
	Antibodies are now labeled and ready to use. Store at +4°C in the dark for up to 1 year. For full instructions for use please go to: <a href="mailto:bio-rad-antibodies.com/label-SB-kit-IFU">bio-rad-antibodies.com/label-SB-kit-IFU</a> .
	Add 4 $\mu$ l of prepared Quenching Reagent and 45 $\mu$ l of Storage Buffer to the labeled antibody. Vortex briefly to mix.
	Prepare Quenching Reagent by adding 5 μl of ultrapure water.
	collection tube. Slightly loosen the cap of the Spin Column and centrifuge at 1500 x g for 2 min. Retain the eluate, containing the label antibody.
	Break open the bottom of the Spin Column and insert the column into the 2 ml amber
	Add the sample to the Spin Column. Vortex briefly and mix on an end-over-end rotary mixer at room temperature for 60 min.
	Dye-Catcher vial. Mix and incubate for 30 min at room temperature or overnight at +4°C.
Instructions For Use	Add the SpyTagged antibody product from TrailBlazer Tag Kit to the StarBright
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices suggest a 5 min centrifugation at 6,000g prior to sample application.
	1 Collection Tube
	1 vial Quenching Reagent 1 Spin Column
	1 vial StarBright Dye-Catcher SBV670
Reagents In The Kit	1 X 100 μg Antibody Conjugation ( <u>3 X 100 μg Antibody Conjugation Kit available</u> ) 1 vial Storage Buffer

# **Related Products**

Regulatory

# **Recommended Useful Reagents**

For research purposes only

<u>TrailBlazer Tag Kit 0.1 mg (12020038)</u> <u>TrailBlazer SBB700 Label Kit (12020040)</u> <u>TrailBlazer SBV515 Label Kit (12020041)</u> <u>TrailBlazer SBV440 Label Kit (12020042)</u> <u>TrailBlazer SBV610 Label Kit (12020043)</u> <u>TrailBlazer SBV570 Label Kit (12020045)</u>

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M433837:250106'

### Printed on 14 Jan 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint