

Datasheet: 1351201

Description:	CFDA-SE CELL PROLIFERATION ASSAY KIT
Name:	CFDA-SE
Format:	Reagent
Product Type:	Accessory Reagent
Quantity:	500 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/40 - 1/400

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Product Information

The CFDA-SE (5[6]-carboxyfluorescein diacetate succinimidyl ester) cell proliferation assay is packaged in 100 µg vials. Simply reconstitute it with DMSO for use and avoid weighing and wasting reagents.

CFDA-SE is a cell-permeable reagent that is useful in measuring and tracking cell divisions. Upon entering a live cell, the acetate groups of CFDA-SE are cleaved by intracellular esterase to create the fluorescent carboxyfluorescent carboxyfluorescein succinimidyl ester (CFSE) compound. CFSE reacts with free primary amines to create a stable, covalent bond and is retained in the cytosol of cells. As a cell divides, the fluorescence intensity of CFSE is successively halved with each division, allowing each cell generation to be distinguished.

Reagents In The Kit

Kit includes 5 x 100 µg vials

Instructions For Use

Important: Thaw all components prior to use.

Note: The following protocol is a guideline and it should be modified for each experiment as needed.

1. Prepare a 200 µM stock solution by adding 892.5 µl of DMSO to a CFDA-SE vial and mix by vortexing.

2. Create a working solution (5-0.5 µM) by diluting the CFDA-SE stock solution from step 1 with your buffer of choice at pH 7.
3. Resuspend 1 x 10⁶ cells of interest in 500 µl of the working solution.
4. Incubate the cells for 5-20 min at room temperature. Protect from light.
5. Centrifuge the sample and remove the supernatant.
6. Wash the pellet with 3 ml of your buffer of choice.
7. Resuspend the cells in 500 µl of fresh, prewarmed culture media.
8. Remove 200 µl to analyze for time zero.
9. Place the remaining cells in the appropriate conditions for cell proliferation.
10. Harvest the cells and stain them for the other markers if desired.
11. Analyze or sort the cells using a flow cytometer or [S3™ cell sorter](#) with a 488 nm laser.

Storage

Store at -20°C only

This product is photosensitive and should be protected from light

Guarantee

Guaranteed until date of expiry. Please see product label.

Health And Safety Information

Material Safety Datasheet documentation #1351201 available at:
1351201: <https://www.bio-rad-antibodies.com/uploads/MSDS/1351201.pdf>

Regulatory

For research purposes only

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M373857:201009'

Printed on 29 Oct 2020