

Datasheet: 1439-9446 BATCH NUMBER 163976

Description:	RABBIT ANTI BORRELIA BURGDORFERI:FITC
Specificity:	BORRELIA BURGDORFERI
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>												
	rad-antibodies.com/pro	rad-antibodies.com/protocols.											
		Yes	No	Not Determined	Suggested Dilution								
	Flow Cytometry			•									
	ELISA			•									
	Western Blotting												
	Immunofluorescence (1)	-			1/10 - 1/50								
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as												
	a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls. (1)Acetone fixation is recommended for best results.												
								Target Species	Bacterial				
								Product Form	Purified Ig conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid				
Max Ex/Em	Fluorophore	Excitation Max	(nm) l	Emission Max (nm)									
	FITC	490		525									
Buffer Solution	Phosphate buffered saline												
Preservative	0.1% Sodium Azide (NaN ₃)												
Stabilisers	1% Bovine Serum Albu	umin											
Approx. Protein Concentrations	IgG concentration 5 mg/ml												

Immunogen	Whole cell preparation from <i>B. burgdorferi</i> .				
RRID	AB_616819				
Specificity	Rabbit anti <i>Borrelia burgdorferi</i> recognizes one of the causative agents of Lyme disease. <i>B. burgdorferi</i> is a spirochaete bacterium and one of the few pathogenic bacteria capable of surviving in the absence of iron.				
	This antibody cross reacts with <i>Treponema pallidum</i> , <i>Borrelia hermsii</i> and <i>Borrelia parkeri</i> .				
References	 De Socio, G.V. et al. (2011) Malignant syphilis with ocular involvement in an HIV-infected patient. <u>Int J STD AIDS. 22: 298-300.</u> 				
	2. Drago, F. et al. (2015) Primary syphilis of the oropharynx: an unusual location of a				
	chancre. <u>Int J STD AIDS. 26 (9): 679-81.</u> 3. Drago, F. <i>et al.</i> (2012) Luetic lymphadenopathy despite negative serology <u>Int J STD</u> AIDS. 23: 601-2.				
	4. Haedersdal, M. & Weismann, K. (2000) Syphilitic chancre despite use of condoms:				
	 "condom chancre". <u>Acta Derm Venereol. 80 (3): 235-6.</u> 5. Janus, I. <i>et al.</i> (2014) Myocarditis in dogs: etiology, clinical and histopathological features (11 cases: 2007-2013). <u>Ir Vet J. 67 (1): 28.</u> 				
	6. Briciu, V.T. <i>et al.</i> (2016) Immunohistochemistry and real-time PCR as diagnostic tools for detection of Borrelia burgdorferi sensu lato in ticks collected from humans. <u>Exp Appl</u> <u>Acarol. 69 (1): 49-60.</u>				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/1439-9446 10041				
Regulatory	For research purposes only				
nerica Fax: +1 800 263 Fax: +1 919 87 Email: antibody					
To find a batch/lot spec	ific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M413872:221128'				
	Printed on 18 Jan 2024				

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint