

# Datasheet: 1723-0105

Description:	MOUSE ANTI DUCK CALDESMON
Specificity:	CALDESMON
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	2B5
lsotype:	lgG1
Quantity:	0.2 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal						
	communications from the originators. Please refer to references indicated for further						
	information. For general p	protocol r	ecommen	dations, please visit <u>w</u>	ww.bio-		
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin			•			
	ELISA	•					
	Western Blotting						
	Where this product has n	ot been t	ested for	use in a particular tech	nique this does not		
	necessarily exclude its us	se in sucl	n procedu	res. Suggested workin	g dilutions are given as		
	a guide only. It is recommended that the user titrates the product for use in their own						
	system using the appropriate negative/positive controls.						
Torget Chesica	Duale						
Target Species	Duck						
Target Species Species Cross	Duck Reacts with: Human, Chi	cken					
	Reacts with: Human, Chi		ng conditio	ons may vary between	species. Cross		
Species Cross	Reacts with: Human, Chie <b>N.B.</b> Antibody reactivity a	ind worki	-	• •	•		
Species Cross	Reacts with: Human, Chi <b>N.B.</b> Antibody reactivity a reactivity is derived from	ınd worki testing w	ithin our la	aboratories, peer-revie	wed publications or		
Species Cross	Reacts with: Human, Chie <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications	ınd worki testing w	ithin our la	aboratories, peer-revie	wed publications or		
Species Cross	Reacts with: Human, Chi <b>N.B.</b> Antibody reactivity a reactivity is derived from	ınd worki testing w	ithin our la	aboratories, peer-revie	wed publications or		
Species Cross	Reacts with: Human, Chie <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications	ınd worki testing w	ithin our la	aboratories, peer-revie	wed publications or		
Species Cross Reactivity	Reacts with: Human, Chie <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications further information.	nd worki testing w s from the	ithin our la e originato	aboratories, peer-revie rs. Please refer to refe	wed publications or prences indicated for		
Species Cross Reactivity Product Form	Reacts with: Human, Chie <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications further information. Purified IgG - liquid	and worki testing w from the affinity cl	ithin our la e originato	aboratories, peer-revie rs. Please refer to refe	wed publications or prences indicated for		

#### Stabilisers

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Duck gizzard caldesmon (heavy type)
RRID	AB_617023
Specificity	<b>Mouse anti Duck caldesmon antibody, clone 2B5</b> reacts with the high molecular mass (120-150 kDa) and lower molecular mass (71-80 kDa) forms of caldesmon, an actin interacting and calmodulin binding protein found in smooth muscle and other cell types.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/1723-0105 10040
Regulatory	For research purposes only

## **Related Products**

### **Recommended Secondary Antibodies**

Email: antibody\_sales\_us@bio-rad.com

	Goat Ant	i Mouse IgG (STAR77)	HR	<u>P</u>				
	Rabbit Ar	nti Mouse IgG (STAR12)	RP	E				
	Goat Ant	i Mouse IgG (STAR70)	<u>FIT</u>	<u>C</u>				
	Goat Ant	i Mouse IgG IgA IgM (STAR87.	) <u>Alk</u>	<u>. Phos., HRP</u>				
Rabbit Anti Mouse IgG (STAR9)			<u>FIT</u>	<u>FITC</u>				
	Goat Anti Mouse IgG (STAR76)			RPE				
	Goat Ant	i Mouse IgG (H/L) (STAR117	) <u>Alk</u>	<u>. Phos., DyLight®488, I</u>	DyLight®550,			
				<u>DyLight®650, DyLight®680, DyLight®800,</u>				
Rabbit Anti Mouse IgG (STAR13)			<u>FIT</u>	FITC, HRP				
			<u>HR</u>	HRP				
Goat Anti Mouse IgG (Fc) (STAR120)				<u>C, HRP</u>				
	North & South	Tel: +1 800 265 7376 Worldv	vide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21		
	America	merica Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739	Fax: +49 (0) 89 8090 95 50			
		Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com		

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M405723:220916'

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint