

Datasheet: 1750-5507

| | |
|----------------------|------------------------------|
| Description: | RABBIT ANTI CANDIDA ALBICANS |
| Specificity: | CANDIDA ALBICANS TYPE A |
| Format: | Purified |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 1 ml |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|--------------------------|-----|----|----------------|--------------------|
| Immunohistology - Frozen | ▪ | | | |
| ELISA | ▪ | | | |
| Immunofluorescence | ▪ | | | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

| | |
|---------------------------------------|---------------------------------------|
| Target Species | Yeast |
| Species Cross Reactivity | Does not react with:Human |
| Product Form | Ig fraction - liquid |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.1% Sodium Azide (NaN ₃) |
| Approx. Protein Concentrations | IgG concentration 5.0 mg/ml |
| Immunogen | <i>Candida albicans</i> , type A |
| RRID | AB_620663 |

Specificity Rabbit anti *Candida albicans* Type A antibody reacts with numerous proteins in a soluble *C. albicans* extract in immunoelectrophoresis.

Candida albicans is the most frequently isolated fungal pathogen of humans. It principally infects the skin and mucosal surfaces causing candidiasis or thrush.

Rabbit anti *Candida albicans* Type A antibody has not been absorbed and cross reacts with other yeasts.

References

1. Yokota, T. *et al.* (2004) *Aspergillus fumigatus* infection in an ostrich (*Struthio camelus*). [J Vet Med Sci. 66: 201-4.](#)
2. Ogawa, S. *et al.* (2008) Generalized Hyperkeratosis Caused by *Scopulariopsis brevicaulis* in a Japanese Black Calf [J Comp Pathol. 138: 145-50.](#)
3. Cuenca-Estrella, M. *et al.* (2012) ESCMID* guideline for the diagnosis and management of *Candida* diseases 2012: diagnostic procedures [Clin Microbiol Infect. 18 Suppl 7: 9-18.](#)
4. Abdo, W. *et al.* (2012) Pulmonary zygomycosis with *Cunninghamella bertholletiae* in a killer whale (*Orcinus orca*). [J Comp Pathol. 147: 94-9.](#)
5. Ogasawara F *et al.* (2016) Concurrent Fowlpox and Candidiasis Diseases in Backyard Chickens with Unusual Pox Lesions in the Bursa of Fabricius. [Avian Dis. 60 \(3\): 705-8.](#)
6. Haridy, M. *et al.* (2018) *Candida parapsilosis*. and *Candida tropicalis*. infections in an Okhotsk snailfish (*Liparis ochotensis*). [J Vet Med Sci. 80 \(11\): 1676-80.](#)

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/1750-5507>
10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

- Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
- Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
- Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
- Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

'M418580:230427'

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 07 Sep 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)