

Datasheet: 204001

Description:	GOAT ANTI HUMAN IgG
Specificity:	IgG
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			
Immunofluorescence	▪			
Immunoblotting	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography
Buffer Solution	Borate buffered saline
Preservative Stabilisers	None present
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Normal human IgG and human IgG paraproteins
External Database Links	UniProt:

[P01857](#) [Related reagents](#)
[P01859](#) [Related reagents](#)
[P01861](#) [Related reagents](#)
[P01860](#) [Related reagents](#)

Entrez Gene:

[3500](#) IGHG1 [Related reagents](#)
[3501](#) IGHG2 [Related reagents](#)
[3502](#) IGHG3 [Related reagents](#)
[3503](#) IGHG4 [Related reagents](#)

RRID	AB_617099
-------------	-----------

Specificity	Goat anti Human IgG antibody reacts with the heavy chain of human IgG and has been cross-absorbed with human IgM and IgA, but may recognise IgG from other species.
--------------------	--

References	<ol style="list-style-type: none">Lund K <i>et al.</i> (2014) The novel EpCAM-targeting monoclonal antibody 3-17I linked to saporin is highly cytotoxic after photochemical internalization in breast, pancreas and colon cancer cell lines. MAbs. 6 (4): 1038-50.Gilbert, A. (2013) Humoral immune response to melanoma: discovery and evaluation of anti-melanoma antibodies PhD. Thesis KCL UK.
-------------------	---

Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	--

Guarantee	Guaranteed until date of expiry. Please see product label.
------------------	--

Health And Safety Information	Material Safety Datasheet documentation #10123 available at: 10123: https://www.bio-rad-antibodies.com/uploads/MSDS/10123.pdf
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M380380:210511'

Printed on 06 Jan 2022

