

Datasheet: 204002

BATCH NUMBER 166637

Description:	GOAT ANTI HUMAN IgG:FITC	
Specificity:	IgG	
Format:	FITC	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen	•			
Immunofluorescence	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human			
Product Form	Purified IgG conjugate	ed to Fluorescein Isoth	niocyanate Isomer 1	l (FITC) - liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525	
Preparation	Purified IgG prepared	by affinity chromatog	raphy	
Buffer Solution	Phosphate buffered sa	aline		
Preservative Stabilisers	<0.1% Sodium Azide	(NaN ₃)		
Approx. Protein Concentrations	IgG concentration 1.0	mg/ml		

Immunogen	Normal human IgG and human IgG paraproteins		
External Database Links	UniProt:		
	P01857 Related reagents		
	P01859 Related reagents		
	P01861 Related reagents		
	P01860 Related reagents		
	Entrez Gene:		
	3500 IGHG1 Related reagents		
	3501 IGHG2 Related reagents		
	3502 IGHG3 Related reagents		
	3503 IGHG4 Related reagents		
RRID	AB_619861		
Specificity	Goat anti Human IgG antibody reacts with the heavy chain of human IgG and has been cross-absorbed with human IgM and IgA, but may recognise IgG from other species.		
References	1. Lund K <i>et al.</i> (2014) The novel EpCAM-targeting monoclonal antibody 3-17l linked to saporin is highly cytotoxic after photochemical internalization in breast, pancreas and colon cancer cell lines. MAbs. 6 (4): 1038-50. 2. Gilbert, A. (2013) Humoral immune response to melanoma: discovery and evaluation of anti-melanoma antibodies PhD. Thesis KCL UK.		
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.		
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.		
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/204002 10040		
Regulatory	For research purposes only		

Related Products

Recommended Useful Reagents

<u>HUMAN SEROBLOCK (BUF070A)</u> <u>HUMAN SEROBLOCK (BUF070B)</u>
 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 To
Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com a

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M420340:230706'

Printed on 30 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint