Datasheet: 204002 BATCH NUMBER 167767

Description:	GOAT ANTI HUMAN IgG:FITC				
Specificity:	lgG				
Format:	FITC				
Product Type:	Polyclonal Antibody				
Isotype:	Polyclonal IgG				
Quantity:	1 mg				

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
	information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-						
	Immunohistology - Frozer	ו י						
	Immunofluorescence	•						
	Where this product has	Where this product has not been tested for use in a particular technique this does not						
	necessarily exclude its	use in such pr	ocedure	es. Suggested working	g dilutions are given as			
	a guide only. It is recom	nmended that t	the user	titrates the product for	or use in their own			
	system using appropria							
	, , , , , , , , , , , , , , , , , , , ,	• •						
Target Species	Human							
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid							
Max Ex/Em		Excitation Max	(nm)	Emission Max (nm)				
	FITC	490		525				
Preparation	Purified IgG prepared by affinity chromatography							
Buffer Solution	Phosphate buffered saline							
Preservative								
Stabilisers	<0.1% Sodium Azide (N).1% Sodium Azide (NaN ₃)						
Approx. Protein Concentrations	IgG concentration 1.0 n							

Immunogen	Normal human IgG and human IgG paraproteins					
External Database Links	UniProt:P01857Related reagentsP01859Related reagentsP01861Related reagentsP01860Related reagents					
	Entrez Gene:3500IGHG1Related reagents3501IGHG2Related reagents3502IGHG3Related reagents3503IGHG4Related reagents					
RRID	AB_619861					
Specificity	Goat anti Human IgG antibody reacts with the heavy chain of human IgG and has been cross-absorbed with human IgM and IgA, but may recognise IgG from other species.					
References	 Lund K <i>et al.</i> (2014) The novel EpCAM-targeting monoclonal antibody 3-17I linked to saporin is highly cytotoxic after photochemical internalization in breast, pancreas and colon cancer cell lines. <u>MAbs. 6 (4): 1038-50.</u> Gilbert, A. (2013) Humoral immune response to melanoma: discovery and evaluation of anti-melanoma antibodies <u>PhD. Thesis KCL UK.</u> 					
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be					
	protected from light.					
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.					
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/204002 10040					
Regulatory	For research purposes only					

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide rad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad	To ^{d.} mid a		
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M420340:230706'								

Printed on 30 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint