

Datasheet: 204009

BATCH NUMBER 159260

Description:	GOAT ANTI HUMAN IgG:RPE
Specificity:	lgG
Format:	RPE
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 mg

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human				
Product Form	Purified IgG conjugate	Purified IgG conjugated to R. Phycoerythrin (RPE) - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	RPE 488nm laser	496	578		
Preparation	Purified IgG prepared	Purified IgG prepared by affinity chromatography			
Buffer Solution	Phosphate buffered sa	Phosphate buffered saline			
Preservative	<0.1% Sodium Azide	<0.1% Sodium Azide (NaN <sub>3</sub> )			
Stabilisers	Stabilizing agent (suc	rose)			
Approx. Protein Concentrations	0.5 mg/ml				
Immunogen	Normal human IgG ar	nd human IgG parapro	oteins		

External Database Links	UniProt:  P01857 Related reagents P01859 Related reagents P01861 Related reagents P01860 Related reagents			
	Entrez Gene:  3500 IGHG1 Related reagents  3501 IGHG2 Related reagents			
	3502 IGHG3 Related reagents 3503 IGHG4 Related reagents			
RRID	AB_616852			
Specificity	Goat anti Human IgG antibody reacts with the heavy chain of human IgG and has been cross-absorbed with human IgM and IgA, but may recognise IgG from other species.			
References	<ol> <li>Lund K <i>et al.</i> (2014) The novel EpCAM-targeting monoclonal antibody 3-17I linked to saporin is highly cytotoxic after photochemical internalization in breast, pancreas and colon cancer cell lines. MAbs. 6 (4): 1038-50.</li> <li>Gilbert, A. (2013) Humoral immune response to melanoma: discovery and evaluation of anti-melanoma antibodies PhD. Thesis KCL UK.</li> </ol>			
Storage	Store at +4°C. DO NOT FREEZE.  This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	Guaranteed until date of expiry. Please see product label.			
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: <a href="https://www.bio-rad-antibodies.com/SDS/204009">https://www.bio-rad-antibodies.com/SDS/204009</a> 10045			
Regulatory	For research purposes only			

## **Related Products**

## **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387559:210629'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint