

Datasheet: 2060-0020 **BATCH NUMBER 165370** 

Description:	RABBIT ANTI CHOLERA TOXIN BETA		
Specificity:	CHOLERA TOXIN BETA		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	1 ml		

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			
Immunoprecipitation				
Immunodiffusion	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Bacterial		
Product Form	Purified Ig - liquid		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.1% Sodium Azide (NaN <sub>3</sub> )		
Approx. Protein Concentrations	IgG concentration 5.0 mg/ml		
Immunogen	Purified choleragenoid.		
External Database Links	UniProt: P01556 Related reagents		

Synonyms	toxB
RRID	AB_619362
Specificity	Rabbit anti cholera toxin beta antibody recognizes the beta subunit of cholera toxin.
	The beta subunit of cholera toxin binds to a GM1-ganglioside receptor which is widely accepted to initiate toxin action by triggering uptake and delivery of the toxin alpha subunit into cells. The holotoxin consists of a pentameric ring of beta subunits whose central pore is occupied by the alpha subunit. The alpha subunit contains two chains, A1 and A2, linked by a disulfide bridge. The alpha subunit (and cholera toxin) activates the adenylate cyclase enzyme in cells of the intestinal mucosa leading to increased levels of intracellular cAMP.
References	<ol> <li>Thangawng, A.L. <i>et al.</i> (2010) A hard microflow cytometer using groove-generated sheath flow for multiplexed bead and cell assays. <u>Anal Bioanal Chem. 398: 1871-81.</u></li> <li>Becker, P.M. <i>et al.</i> (2010) Inhibition of binding of the AB5-type enterotoxins LT-I and cholera toxin to ganglioside GM1 by galactose-rich dietary components. <u>Foodborne Pathog Dis. 7: 225-33.</u></li> </ol>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/2060-0020">https://www.bio-rad-antibodies.com/SDS/2060-0020</a> 10040
Regulatory	For research purposes only

# **Related Products**

# **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE
Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

North & South Tel: +1 800 265 7376
America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M414047:221130'

## Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint