

Datasheet: 2150-0555 BATCH NUMBER 160223

Description:	NATIVE BOVINE COLLAGEN III
Name:	COLLAGEN III
Format:	Purified
Product Type:	Purified Protein
Quantity:	10 mg

Product Details

Applications	derived from test communications information. For <u>rad-antibodies.co</u>	ting within our labo from the originato general protocol re	oratories, p rs. Please	e following application beer-reviewed publica refer to references in dations, please visit <u>w</u> Not Determined	tions or personal dicated for further	
	ELISA	-				
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Bovine					
Product Form	Purified Protein ·	- lyophilized				
Reconstitution	Reconstitute with 2.0 ml of 0.1M acetic acid, pH 3.0. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.					
Preparation	Isolation steps included extraction into dilute acetic acid after pepsin treatment, followed by differential salt precipitation and purification by ion-exchange chromatography.					
Preservative Stabilisers	None present					
Approx. Protein Concentrations	Total protein concentration 5.0 mg/ml after reconstitution					
External Database Links	UniProt: <u>P04258</u> <u>F</u>	Related reagents				

		Entrez Gei <u>510833</u>	ne: COL3A1	Related reagents			
Product I	Information	Purified collagen type III from bovine skin. Collagen type III occurs in most soft connecti tissues. It is composed of trimers of identical alpha 1(III) chains. The chains are linked to each other by interchain disulfide bonds. Trimers are also cross-linked via hydroxylysine					
Protein M Weight	lolecular	300 kDa					
Purity		Non-collagenous proteins are less than 0.5%. Typical contaminants are cross-linked collagen type II dimers and trimers (approximately 10%). Other collagen types constitute less than 5% by immunoassay and analytical chromatography.					
Referenc	es		r matrix pro	(2013) Adhesive proper oteins collagens and fibi <u>'-X.</u>			
Storage		After recons Storage in f undiluted. Avoid repea	stitution sto rost-free fr ated freezir	store at +4ºC. ore at -20ºC. eezers is not recommer ng and thawing as this n ontain a precipitate we re	nay denature th		
Guarantee Guaranteed until date of expiry. Please see pr			oduct label.				
Health Ai Informati	nd Safety on		•	neet documentation #10 tibodies.com/SDS/2150		at:	
Regulatory F		For research purposes only					
rth & South	Tel: +1 800 265 Fax: +1 919 878		Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50	

'M412829:221116'

Printed on 28 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint