

Datasheet: 2221-5504

Description:	NATIVE HUMAN C1q
Name:	C1q
Other names:	COMPLEMENT COMPONENT 1q
Format:	Purified
Product Type:	Antigen
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	■			
Western Blotting			■	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Product Form	Purified C1q from human serum - lyophilised
Reconstitution	Reconstitute with 1.0ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. The solution may appear cloudy following reconstitution
Buffer Solution	0.01M Na ₂ EDTA 0.3M NaCl, pH 7.5
Preservative Stabilisers	None present
Approx. Protein Concentrations	Total protein concentration 1.0 mg/ml after reconstitution

**External Database
Links**

UniProt:

P02745	Related reagents
P02747	Related reagents
P02746	Related reagents

Entrez Gene:

712	C1QA	Related reagents
714	C1QC	Related reagents
713	C1QB	Related reagents

Synonyms

C1QG

Product Information

Native Human Complement Component C1q is a sub-component of complement C1. C1q associates with complement components C1r and C1s, which are required for the progression of the proteolytic complement cascade. Deficiency of C1q has been associated with lupus erythematosus and glomerulonephritis.

Purity

SDS PAGE: >96%
Single band at 410kDa in PAGE.

References

1. Wenderfer, S.E. *et al.* (2007) Analysis of C4 and the C4 binding protein in the MRL/lpr mouse. [Arthritis Res Ther. 9: R114.](#)
2. Kanda, Y. *et al.* (2007) Comparison of biological activity among nonfucosylated therapeutic IgG1 antibodies with three different N-linked Fc oligosaccharides: the high-mannose, hybrid, and complex types. [Glycobiology. 17 \(1\): 104-18.](#)
3. Kao, D. *et al.* (2015) A Monosaccharide Residue Is Sufficient to Maintain Mouse and Human IgG Subclass Activity and Directs IgG Effector Functions to Cellular Fc Receptors [Cell Reports. 6 Dec \[Epub ahead of print\]](#)

Storage

Store at +4°C. DO NOT FREEZE.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

Guaranteed until date of expiry. Please see product label.

**Health And Safety
Information**

Material Safety Datasheet documentation #10324 available at:
10324: <https://www.bio-rad-antibodies.com/uploads/MSDS/10324.pdf>

Donor serum tested negative for HIV1/2 antibodies, HBsAg and HCV antibodies.

As no test can completely guarantee this material to be free of pathogens it should be handled as potentially infectious.

Regulatory

For research purposes only

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	To find a
----------------------------------	---	------------------	---	---------------	---	------------------

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M353064:190409'

Printed on 22 Mar 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)