

## Datasheet: 2222-6604F

<b>Description:</b>	SHEEP ANTI HUMAN C3c:FITC
<b>Specificity:</b>	C3c
<b>Other names:</b>	COMPLEMENT COMPONENT 3c
<b>Format:</b>	FITC
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1/500 - 1/50K
Immunofluorescence	▪			1/10 - 1/50

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human		
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
Preparation	Purified IgG prepared by affinity chromatography		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )		
Approx. Protein Concentrations	IgG concentration 1.0mg/ml		
Immunogen	Native human C3c purified from serum.		

<b>External Database Links</b>	<b>UniProt:</b> <a href="#">P01024</a> <a href="#">Related reagents</a>
	<b>Entrez Gene:</b> <a href="#">718</a> C3 <a href="#">Related reagents</a>
<b>Synonyms</b>	CPAMD1
<b>RRID</b>	AB_1509988
<b>Specificity</b>	<p><b>Sheep anti Human C3c antibody</b> detects human complement 3c, a polypeptide fragment which is present in C3. C3 plays a central role in the activation of the complement system. Processing of C3 by C3 convertase is the central reaction in both classical and alternative complement pathways, resulting in C3a and C3b. C3b can bind covalently, via its reactive thioester, to cell surface carbohydrates or immune aggregates, and help to initiate the complement cascade, potentially resulting in cellular apoptosis. C3a anaphylatoxin is a mediator of local inflammatory process. It induces the contraction of smooth muscle, increases vascular permeability and causes histamine release from mast cells and basophilic leukocytes.</p> <p>C3b is rapidly split in two positions by factor I and a cofactor to form iC3b (inactivated C3b) and C3f which is released. Then iC3b is slowly cleaved (possibly by factor I) to form C3c and C3dg. Defects in C3 can result in susceptibility to pyogenic infection.</p> <p>This antibody shows minimal reactivity with related serum proteins.</p>
<b>References</b>	<ol style="list-style-type: none"> <li>1. Janssen, B.J. <i>et al.</i> (2005) Structures of complement component C3 provide insights into the function and evolution of immunity. <a href="#">Nature. 437 (7058): 505-11.</a></li> <li>2. Lewis, L.A. <i>et al.</i> (2019) Effect of a C1s Inhibitor on the Efficacy of Anti-Capsular Antibodies against <i>Neisseria meningitidis</i> and <i>Streptococcus pneumoniae</i>. <a href="#">Immunohorizons. 3 (11): 519-30.</a></li> </ol>
<b>Storage</b>	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/2222-6604F">https://www.bio-rad-antibodies.com/SDS/2222-6604F</a> 10040
<b>Regulatory</b>	For research purposes only

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M420359:230706'

Printed on 19 Jan 2024

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)