

# Datasheet: 2407-0508

Description:	RABBIT ANTI CYCLIN D1
Specificity:	CYCLIN D1
Format:	Serum
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution							
	ELISA	•			1/2,000 - 1/10,000			
	Western Blotting	•			1/500 - 1/1,000			
	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its use in such procedures. Suggested working dilutions are given as							
	a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.							
Target Species	Human							
Species Cross Reactivity	Reacts with: Mouse, Rat Based on sequence similarity, is expected to react with:Dog, Chimpanzee, Amphibia, Zebrafish <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
Product Form	Serum - liquid							
Preparation	This antiserum has been	n delipidate	ed, defibri	nated and sterile filtere	ed.			
Buffer Solution	Phosphate buffered salir	ne						
Preservative Stabilisers	0.01% Sodium Azide (Na	aN <sub>3</sub> )						

#### Immunogen Full length synthetic polypeptide corresponding to the human gene sequence.

External Database				
Links	UniProt:			
	P24385 Related reagents			
	Entrez Gene:			
	595 CCND1 Related reagents			
Synonyms	BCL1, PRAD1			
RRID	AB_2245335			
Specificity	<b>Rabbit anti cyclin D1 antibody</b> recognizes Cyclin D1, a member of the cyclin family that function as CKD reculators. Cyclin D1 is involved in cell cycle transition and has been shown to interact with the retinoblastoma protein. The unprocessed precursor is 295 amino acids long. It is expressed in abnormally high levels in a number of cancers and is specifically implicated in breast cancer development.			
Western Blotting	When used on asynchronous HN30 cell lysates, a band was observed at approximately 34 kDa corresponding to Cyclin D1.			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2407-0508 10040			
Regulatory	For research purposes only			

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (H/L) (STAR124...)HRP

### **Recommended Useful Reagents**

### TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M429042:240315'

#### Printed on 15 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint