

Datasheet: 2470-5416

BATCH NUMBER 169315

Description:	MOUSE ANTI CYTOMEGALOVIRUS gB LATE CYTOPLASMIC ANTIGEN
Specificity:	CYTOMEGALOVIRUS gB LATE CYTOPLASMIC ANTIGEN
Other names:	CMV
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	hCMV34
Isotype:	IgG2a
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen (1)	▪			
ELISA	▪			
Immunofluorescence	▪			0.02 µg/slide - 1 µg/slide

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

(1) Reactive only in acetone fixed CMV infected cells or frozen sections.

Target Species	Viral
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Native cytomeglaovirus extracts from infected human cells..
Specificity	<p>Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 detects cytomegalovirus glycoprotein B late cytoplasmic antigen. Cytomegalovirus is an enveloped double stranded DNA virus which in humans (HCMV) is commonly known as human herpesvirus 5 (HHV-5).</p> <p>Glycoprotein B (gB) is the main antigenic protein within the envelope of HCMV. It is required for HCMV mediated membrane fusion along with the gH / gL complex. The unprocessed precursor of HCMV gB is 906 amino acids in length, with a MW of approximately 100kDa.</p> <p>Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 does not react with HSV, VZV or EBV. Reacts with MRC-5 infected cells, but not uninfected cells.</p> <p>Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 has been used successfully to demonstrate presence of CMV in infected cells by immunofluorescence on paraformaldehyde fixed cell cultures (González-Sánchez et al 2015).</p>
References	1. González-Sánchez HM <i>et al.</i> (2015) Effects of cytomegalovirus infection in human neural precursor cells depend on their differentiation state. J Neurovirol. 21 (4): 346-57.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (STAR77...) [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M432556:240903'

Printed on 03 Sep 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)