

Datasheet: 2470-5416

Description:	MOUSE ANTI CYTOMEGALOVIRUS gB LATE CYTOPLASMIC ANTIGEN
Specificity:	CYTOMEGALOVIRUS gB LATE CYTOPLASMIC ANTIGEN
Other names:	CMV
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	hCMV34
Isotype:	lgG2a
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen (1)	•			
ELISA	•			
Immunofluorescence				0.02 µg/slide - 1 µg/slide

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

(1)Reactive only in acetone fixed CMV infected cells or frozen sections.

Target Species	Viral	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant	A from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	

Immunogen	Carrier Free	Yes
Specificity Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 detects cytomegalovirus glycoprotein B late cytoplasmic antigen. Cytomegalovirus is an enveloped double stranded DNA virus which in humans (HCMV) is commonly known as human herpesvirus 5 (HHV-5). Glycoprotein B (gB) is the main antigenic protein within the envelope of HCMV. It is required for HCMV mediated membrane fusion along with the gH / gL complex. The unprocessed precursor of HCMV gB is 906 amino acids in length, with a MW of approximately 100kDa. Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 does not react with HSV, VZV or EBV. Reacts with MRC-5 infected cells, but not uninfected cells. Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 has been used successfully to demonstrate presence of CMV in infected cells by immunofluorescence on paraformaldehyde fixed cell cultures (González-Sánchez et al 2015). References 1. González-Sánchez HM et al. (2015) Effects of cytomegalovirus infection in human neural precursor cells depend on their differentiation state. J Neurovirol. 21 (4): 346-57. Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040		IgG concentration 1.0 mg/ml
detects cytomegalovirus glycoprotein B late cytoplasmic antigen. Cytomegalovirus is an enveloped double stranded DNA virus which in humans (HCMV) is commonly known as human herpesvirus 5 (HHV-5). Glycoprotein B (gB) is the main antigenic protein within the envelope of HCMV. It is required for HCMV mediated membrane fusion along with the gH / gL complex. The unprocessed precursor of HCMV gB is 906 amino acids in length, with a MW of approximately 100kDa. Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 does not react with HSV, VZV or EBV. Reacts with MRC-5 infected cells, but not uninfected cells. Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 has been used successfully to demonstrate presence of CMV in infected cells by immunofluorescence on paraformaldehyde fixed cell cultures (González-Sánchez et al 2015). References 1. González-Sánchez HM et al. (2015) Effects of cytomegalovirus infection in human neural precursor cells depend on their differentiation state. J Neurovirol. 21 (4): 346-57. Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040	Immunogen	Native cytomeglaovirus extracts from infected human cells
required for HCMV mediated membrane fusion along with the gH gL complex. The unprocessed precursor of HCMV gB is 906 amino acids in length, with a MW of approximately 100kDa. Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 does not react with HSV, VZV or EBV. Reacts with MRC-5 infected cells, but not uninfected cells. Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 has been used successfully to demonstrate presence of CMV in infected cells by immunofluorescence on paraformaldehyde fixed cell cultures (González-Sánchez et al 2015). References 1. González-Sánchez HM et al. (2015) Effects of cytomegalovirus infection in human neural precursor cells depend on their differentiation state. J Neurovirol. 21 (4): 346-57. Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040	Specificity	detects cytomegalovirus glycoprotein B late cytoplasmic antigen. Cytomegalovirus is an enveloped double stranded DNA virus which in humans (HCMV) is commonly known as
not react with HSV, VZV or EBV. Reacts with MRC-5 infected cells, but not uninfected cells. Mouse anti Cytomegalovirus gB Late Cytoplasmic Antigen antibody, clone hCMV34 has been used successfully to demonstrate presence of CMV in infected cells by immunofluorescence on paraformaldehyde fixed cell cultures (González-Sánchez et al 2015). References 1. González-Sánchez HM et al. (2015) Effects of cytomegalovirus infection in human neural precursor cells depend on their differentiation state. J Neurovirol. 21 (4): 346-57. Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040		required for HCMV mediated membrane fusion along with the gH / gL complex. The unprocessed precursor of HCMV gB is 906 amino acids in length, with a MW of
been used successfully to demonstrate presence of CMV in infected cells by immunofluorescence on paraformaldehyde fixed cell cultures (González-Sánchez et al 2015). References 1. González-Sánchez HM et al. (2015) Effects of cytomegalovirus infection in human neural precursor cells depend on their differentiation state. J Neurovirol. 21 (4): 346-57. Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040		not react with HSV, VZV or EBV. Reacts with MRC-5 infected cells, but not uninfected
neural precursor cells depend on their differentiation state. J Neurovirol. 21 (4): 346-57. Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040		been used successfully to demonstrate presence of CMV in infected cells by immunofluorescence on paraformaldehyde fixed cell cultures (<u>González-Sánchez et al</u>
-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040	References	
frost-free freezers is not recommended. Guarantee 12 months from date of despatch Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040	Storage	-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/2470-5416 10040		
Information https://www.bio-rad-antibodies.com/SDS/2470-5416 10040	Guarantee	12 months from date of despatch
Regulatory For research purposes only	-	https://www.bio-rad-antibodies.com/SDS/2470-5416
	Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) <u>FITC</u>
Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M432556:240903'

Printed on 03 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint