

Datasheet: 2722-5204 **BATCH NUMBER 180821** 

Description:	MOUSE ANTI DESMOPLAKIN 1/2
Specificity:	DESMOPLAKIN 1/2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	DP-2.15
Isotype:	IgG1
Quantity:	50 μg

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			
Western Blotting				
Immunofluorescence				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Bovine, Chicken, Mouse, Rat  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )

#### **Stabilisers**

Approx.	Protein
Concent	rations

IgG concentration 1mg/ml

## Immunogen

Native bovine desmoplakin 1 and 2 purified from bovine snout desmosomes.

## External Database Links

## UniProt:

P15924 Related reagents

### **Entrez Gene:**

1832 DSP Related reagents

#### **RRID**

AB\_619950

#### **Fusion Partners**

Spleen cells from immunized Balb/c mice were fused with cells from the NS0 mouse myeloma cell line.

#### **Specificity**

**Mouse anti Desmoplakin 1/2 antibody, clone DP-2.15** recognizes both desmoplakin 1 and 2 from stratified epithelia, simple epithelia including glands, urothelium, thymic reticular epithelium, hepatocytes, intercalated disks of myocardium and arachnoid cells of meninges. Mouse anti Desmoplakin 1/2 antibody, clone DP-2.15 can be used for the detection of primary and metastatic carcinomas.

Mouse anti Desmoplakin 1/2 antibody, clone DP-2.15 recognizes the N terminus of the rod domain of desmoplakin (<u>Bornslaeger et al. 1996</u>).

### References

- 1. Cowin, P. *et al.* (1985) The complement of desmosomal plaque proteins in different cell types. J Cell Biol. 101 (4): 1442-54.
- 2. Jheon, A.H. *et al.* (2011) PERP regulates enamel formation via effects on cell-cell adhesion and gene expression. J Cell Sci. 124: 745-54.
- 3. Bornslaeger, E.A. *et al.* (1996) Breaking the connection: displacement of the desmosomal plaque protein desmoplakin from cell-cell interfaces disrupts anchorage of intermediate filament bundles and alters intercellular junction assembly. <u>J. Cell. Biol. 134:</u> 985-1001.
- 4. Park, D.S. *et al.* (2015) Genetically engineered SCN5A mutant pig hearts exhibit conduction defects and arrhythmias. <u>J Clin Invest. 125 (1): 403-12.</u>
- 5. DeQuach JA *et al.* (2010) Simple and high yielding method for preparing tissue specific extracellular matrix coatings for cell culture. <u>PLoS One. 5 (9): e13039.</u>
- 6. Basheer, W.A. *et al.* (2015) Cardiomyocyte-specific overexpression of the ubiquitin ligase Wwp1 contributes to reduction in Connexin 43 and arrhythmogenesis. <u>J Mol Cell</u> Cardiol. 88: 1-13.
- 7. Yung, H.W. *et al.* (2016) Placental endoplasmic reticulum stress in gestational diabetes: the potential for therapeutic intervention with chemical chaperones and antioxidants. Diabetologia. 59 (10): 2240-50.
- 8. Chkourko, H.S. *et al.* (2012) Remodeling of mechanical junctions and of microtubule-associated proteins accompany cardiac connexin43 lateralization. <u>Heart Rhythm. 9 (7):</u> 1133-1140.e6.

9. Vila, J. *et al.* (2017) Structural and molecular pathology of the atrium in boxer arrhythmogenic right ventricular cardiomyopathy. <u>J Vet Cardiol. 19 (1): 57-67.</u>
10. Yung, H.W. *et al.* (2016) Placental endoplasmic reticulum stress in gestational diabetes: the potential for therapeutic intervention with chemical chaperones and antioxidants. <u>Diabetologia. 59 (10): 2240-50.</u>

Storage Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted.

Avoid repeated freezing and thawing as this may denature the antibody.

Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Material Safety Datasheet documentation #10040 available at:

Information <a href="https://www.bio-rad-antibodies.com/SDS/2722-5204">https://www.bio-rad-antibodies.com/SDS/2722-5204</a>

10040

**Regulatory** For research purposes only

## Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363054:200528'

### Printed on 10 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint