

Datasheet: 3210-0488

Description:	SHEEP ANTI DIGOXIGENIN
Specificity:	DIGOXIGENIN
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	▪			
ELISA	▪			1/100 - 1/5,000
Western Blotting	▪			
Immunofluorescence	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Chemical
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by Protein G affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	5 mg/ml
Immunogen	Digoxin-3-CM conjugated to keyhole limpet haemocyanin.
RRID	AB_620732

Specificity **Sheep anti digoxigenin antibody** recognizes digoxigenin, a steroid found in plants that is often attached to oligonucleotides and used as a molecular probe to detect mRNA production.

This antibody cross reacts with digoxin and digitoxin. Negligible reactivity has been observed with ouabain.

- References**
1. Mori, K. *et al.* (2007) The perivascular space as a path of hematopoietic progenitor cells and mature T cells between the blood circulation and the thymic parenchyma. [Int. Immunol. 19: 745-53.](#)
 2. Cross, S.J. *et al.* (2016) Transverse Magnetic Tweezers Allowing Coincident Epifluorescence Microscopy on Horizontally Extended DNA. [Methods Mol Biol. 1431: 73-90.](#)
 3. Hu, W.W. *et al.* (2009) Digoxigenin modification of adenovirus to spatially control gene delivery from chitosan surfaces. [J Control Release. 135 \(3\): 250-8.](#)
 4. Klebes, A. *et al.* (2021) Multianalyte lateral flow immunoassay for simultaneous detection of protein-based inflammation biomarkers and pathogen DNA [Sensors and Actuators B: Chemical. : 131283.](#)
 5. Toleikis, A. *et al.* (2018) oriD structure controls RepD initiation during rolling-circle replication [Sci Rep. 8: 1206.](#)
 6. Brunauer, A. *et al.* (2021) Rapid Detection of Pathogens in Wound Exudate via Nucleic Acid Lateral Flow Immunoassay. [Biosensors \(Basel\). 11\(3\):74.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Sheep IgG (H/L) (5184-2304...) [Biotin](#)

Donkey Anti Sheep IgG (STAR88...) [DyLight®488](#), [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M381351:210512'

