

Datasheet: 3710-0970 **BATCH NUMBER 164636**

Description:	GOAT ANTI DIPHTHERIA TOXIN:HRP		
Specificity:	DIPHTHERIA TOXIN		
Format:	HRP		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	1 ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			1/20 - 1/200
Immunohistology - Paraffin			•	
ELISA				1/200 - 1/1000
Western Blotting	-			1/20 - 1/200

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

External Database Links	UniProt:		
Immunogen	Purified diphtheria toxoid		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Preservative Stabilisers	0.002% Thiomersal1% Bovine Serum Albumin		
Buffer Solution	Phosphate buffered saline		
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid		
Target Species	Bacterial		

RRID AB 619917

Specificity

Goat anti diphtheria toxin antibody reacts with the diphtheria toxin/toxoid.

Diphtheria toxin is an exotoxin secreted by various strains of *Corynebacterium diphtheriae* that is the cause of diphtheria. The active toxin is a single chain of 535 amino acids composed of 3 distinct structural/functional domains; and N-Terminal ADP-ribosyltransferase (catalytic domain); a region which facilitates the delivery of the catalytic domain across the cell membrane (transmembrane domain) and the eukaryotic cell receptor binding domain.

Goat anti diphtheria toxin antibody also recognizes CRM_{197} (Conde et al. 2021), a non-toxic mutant form of diphtheria toxin with an amino acid substitution at glycine-52 to glutamic acid (Giannini et al. 1984).

References

1. Conde, E. *et al.* (2021) Dual vaccination against IL-4 and IL-13 protects against chronic allergic asthma in mice. Nat Commun. 12 (1): 2574.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10095 available at:

https://www.bio-rad-antibodies.com/SDS/3710-0970

10095

Regulatory

For research purposes only

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A)
AbGUARD® HRP STABILIZER PLUS (BUF052B)
AbGUARD® HRP STABILIZER PLUS (BUF052C)
TMB CORE (BUF056A)

TMB CORE+ (BUF062A)
TMB SIGNAL+ (BUF054A)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

 ${\bf Email: antibody_sales_us@bio-rad.com}$

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 17 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint