

Datasheet: 402002

BATCH NUMBER 165052

Description:	GOAT ANTI RABBIT IgM:FITC
Specificity:	IgM
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/200 - 1/400
Immunohistology - Frozen				
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rabbit			
Product Form	Purified IgG conju	ugated to Fluorescein Isotl	niocyanate Isomer 1 (FITC) - liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	FITC	490	525	

Antiserum Preparation Antisera to rabbit IgM were raised by repeated immunisations of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography using rabbit IgM.

Buffer Solution	Phosphate buffered saline
Preservative	<0.1% Sodium Azide (NaN₃)

Stabilisers Approx. Protein Ig concentration 1.0 mg/ml Concentrations **Immunogen** Rabbit IgM. **External Database UniProt:** Links P03988 Related reagents P04221 Related reagents **RRID** AB 609735 **Specificity** Goat anti Rabbit IgM antibody recognizes the heavy chain of rabbit IgM and has been cross-absorbed against rabbit IgG. This product may cross react with IgM from other species. Use 10ul of the suggested working dilution to label 1x10⁶ cells in 100ul. Flow Cytometry References 1. Marques, R.M. et al. (2012) Early Inflammatory Response of Young Rabbits Attending Natural Resistance to Calicivirus (RHDV) Infection. Vet Immunol Immunopathol. 150: <u>181-8.</u> 2. Saeed, M.I. et al. (2015) Systemic antibody response to nano-size calcium phospate biocompatible adjuvant adsorbed HEV-71 killed vaccine Clin Exp Vaccine Res. 4: 88-98. **Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date. **Health And Safety** Material Safety Datasheet documentation #10040 available at:

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 Email: antibody sales us@bio-rad.com
 Email: antibody sales us@bio-rad.com
 Email: antibody sales de@bio-rad.com

https://www.bio-rad-antibodies.com/SDS/402002

Information

Regulatory

10040

For research purposes only

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401812:220718'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint