Datasheet: 402002 BATCH NUMBER 167542

Description:	GOAT ANTI RABBIT IgM:FITC
Specificity:	IgM
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	•			1/200 - 1/400	
	Immunohistology - Frozer			•		
	Immunohistology - Paraffi	n				
	ELISA			•		
	Immunoprecipitation			•		
	Western Blotting			•		
	Where this antibody ha	s not been t	ested for	use in a particular te	chnique this does not	
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own					
	system using appropria	te negative/	positive c	ontrols.		
Target Species	Rabbit					
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid					
Max Ex/Em	Fluorophore	Excitation M	lax (nm)	Emission Max (nm)		
	FITC	490		525		
Antiserum Preparatio	paration Antisera to rabbit IgM were raised by repeated immunisations of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography using rabbit IgM.					
Buffer Solution	Phosphate buffered saline					
Preservative	<0.1% Sodium Azide (NaN ₃)					

Stabilisers

Approx. Protein Concentrations	Ig concentration 1.0 mg/ml					
Immunogen	Rabbit IgM.					
External Database						
Links	UniProt:					
	P03988 Related reagents					
	P04221 Related reagents					
RRID	AB_609735					
Specificity	Goat anti Rabbit IgM antibody recognizes the heavy chain of rabbit IgM and has been cross-absorbed against rabbit IgG. This product may cross react with IgM from other species.					
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.					
References	 Marques, R.M. <i>et al.</i> (2012) Early Inflammatory Response of Young Rabbits Attending Natural Resistance to Calicivirus (RHDV) Infection. <u>Vet Immunol Immunopathol. 150:</u> <u>181-8.</u> Saeed, M.I. <i>et al.</i> (2015) Systemic antibody response to nano-size calcium phospate biocompatible adjuvant adsorbed HEV-71 killed vaccine <u>Clin Exp Vaccine Res. 4: 88-98.</u> 					
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store a -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C fo short term use (up to 4 weeks) and store the remaining aliquots at -20°C.					
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.					
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whicheve comes first. Please see label for expiry date.					
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/402002 10040					
Regulatory	For research purposes only					
rth & South Tel: +1 800 265 erica Fax: +1 919 87 Email: antibody						

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M420380:230706'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint