

Datasheet: 405002

**BATCH NUMBER 166391**

<b>Description:</b>	GOAT ANTI RABBIT IgG (H/L):FITC
<b>Specificity:</b>	IgG (H/L)
<b>Format:</b>	FITC
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			1/10 - 1/100
Immunohistology - Frozen			■	
Immunohistology - Paraffin			■	
ELISA			■	
Immunoprecipitation			■	
Western Blotting			■	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rabbit		
Species Cross Reactivity	Does not react with:Mouse, Human		
Product Form	Purified Ig conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525

**Antiserum Preparation** Antisera to rabbit IgG (H+L) were raised by repeated immunisations of goats with normal rabbit IgG. Purified IgG was prepared from whole serum by affinity chromatography on pooled rabbit IgG covalently linked to agarose. The preparation has been cross absorbed against human and mouse sera and purified paraproteins to minimise potential cross

reactivity.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	Ig concentration 1.0 mg/ml
Immunogen	Normal rabbit IgG.
External Database Links	<div>UniProt:</div> <div><div><a href="#">P01839</a></div><div><a href="#">Related reagents</a></div></div> <div><div><a href="#">P01841</a></div><div><a href="#">Related reagents</a></div></div> <div><div><a href="#">P01838</a></div><div><a href="#">Related reagents</a></div></div> <div><div><a href="#">P01847</a></div><div><a href="#">Related reagents</a></div></div> <div><div><a href="#">P01870</a></div><div><a href="#">Related reagents</a></div></div> <div><div><a href="#">P01840</a></div><div><a href="#">Related reagents</a></div></div> <div>Entrez Gene:</div> <div><div><a href="#">100422811</a></div><div>IGKC2</div><div><a href="#">Related reagents</a></div></div> <div><div><a href="#">100009097</a></div><div>LOC100009097</div><div><a href="#">Related reagents</a></div></div>
RRID	AB_609712
Specificity	<b>Goat anti Rabbit IgG (H/L) antibody</b> recognises rabbit IgG heavy and light chains and the light chains of rabbit IgM and IgA as demonstrated by ELISA and flow cytometry.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
References	1. Louderback, K.M. <i>et al.</i> (2006) Subbarrel patterns of thalamocortical innervation in rat somatosensory cortical barrels: Organization and postnatal development. <a href="#">J Comp Neurol. 497: 32-41.</a>
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.</p>
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at:

<https://www.bio-rad-antibodies.com/SDS/405002>

10040

---

**Regulatory**

For research purposes only

---

**North & South  
America**

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M420385:230706'

**Printed on 01 Mar 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)