Datasheet: 4329-4916

Description:	RABBIT ANTI ESCHERICHIA COLI:FITC
Specificity:	ESCHERICHIA COLI
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunofluorescence	▪			1/10 - 1/50

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species

Bacterial

Product Form

Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
FITC	490	525

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.1% Sodium Azide (NaN_3)
1% Bovine Serum Albumin

Approx. Protein Concentrations

IgG concentration 5.0 mg/ml

Immunogen

A mixture of all antigenic serotypes.

RRID

AB_616821

Specificity

Rabbit anti *Escherichia coli* antibody recognizes *Escherichia coli* and is broadly

reactive with all somatic and capsular (O and K) antigenic serotypes. The somatic O antigens are composed of lipopolysaccharide complexes which form part of the cell wall structure of *E. coli* whilst the capsular K antigens are mainly composed of acidic polysaccharide.

This antibody will remove *E.coli* proteins from recombinant preparations. Rabbit anti *Escherichia coli* antibody has not been absorbed and may cross-react with related enterobacteriaceae. Rabbit anti *Escherichia coli* antibody has been used in ELISA with serotypes O157:H7, O20, O125, 055, 0111 and K12.

References

1. Tian, B. *et al.* (2015) Blu-ray optomagnetic measurement based competitive immunoassay for *Salmonella* detection. Biosens Bioelectron. 77: 32-9.
2. Skladal, P. *et al.* (2013) Electrochemical immunosensors for detection of microorganisms Int. J. Electrochem. Sci., 8 1635 - 49
3. Su, W.H. *et al.* (2013) Development of a chip-based multiplexed immunoassay using liposomal nanovesicles and its application in the detection of pathogens causing female lower genital tract infections. Taiwan J Obstet Gynecol. 52: 25-32.
4. Ho, T.Y. *et al.* (2013) Development of a novel bead-based 96-well filtration plate competitive immunoassay for the detection of Gentamycin. Biosens Bioelectron. 49: 126-32.
5. Ong, L.C. *et al.* (2014) Bacterial imaging with photostable upconversion fluorescent nanoparticles. Biomaterials. 35 (9): 2987-98.
6. Pivetal, J. *et al.* (2014) Micro-magnet arrays for specific single bacterial cell positioning J. Magnetism and magnetic Materials 380 72-7.
7. Farka, Z. *et al.* (2014) Rapid Detection of Microorganisms Based on Active and Passive Modes of QCM Sensors. 15 (1): 79-92.
8. Dayam RM *et al.* (2015) The Phosphoinositide-Gated Lysosomal Ca(2+) Channel, TRPML1, Is Required for Phagosome Maturation. Traffic. 16 (9): 1010-26.
9. Farka, Z. *et al.* (2015) Quartz crystal microbalance biosensor for rapid detection of aerosolized microorganisms. Proc. SPIE 9455, Chemical, Biological, Radiological, Nuclear, and Explosives (CBRNE) Sensing XVI, 945507
10. Bhokisham, N. *et al.* (2016) Modular construction of multi-subunit protein complexes using engineered tags and microbial transglutaminase. Metab Eng. 38: 1-9.
11. Kovář, D. *et al.* (2014) Detection of aerosolized biological agents using the piezoelectric immunosensor. Anal Chem. 86 (17): 8680-6.
12. VanGerven, N. *et al.* (2014) Secretion and functional display of fusion proteins through the curli biogenesis pathway. Mol Microbiol. 91 (5): 1022-35.
13. Rodrigues, D.M.C. *et al.* (2017) Sensitivity Analysis of Different Shapes of a Plastic Optical Fiber-Based Immunosensor for *Escherichia coli*: Simulation and Experimental Results. Sensors (Basel). 17 (12) Dec 19 [Epub ahead of print].

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/4329-4916 10041
Regulatory	For research purposes only

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M421810:230726'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint