

Datasheet: 4510-7864

Description:	RABBIT ANTI FITC:HRP
Specificity:	FITC
Other names:	FLUORESCEIN ISOTHIOCYANATE
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			■	
Immunohistology - Frozen	■			1/20 - 1/200
Immunohistology - Paraffin			■	
ELISA	■			1/200 - 1/1000
Western Blotting	■			1/20 - 1/200

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Chemical
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid
Preparation	Purified IgG prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative	0.0095% MIT
Stabilisers	1% Bovine Serum Albumin
Approx. Protein Concentrations	1.0 mg/ml
Immunogen	FITC Isomer 1.

RRID	AB_619933
Specificity	<p>Rabbit anti FITC antibody recognizes fluorescein and does not react with immunoglobulins from any species.</p> <p>Fluorescein isothiocyanate (FITC) is widely used to attach a fluorescent label to proteins via the amine group. The isothiocyanate group reacts with amino terminal and primary amines in proteins.</p>
References	<ol style="list-style-type: none"> 1. van der Loos, C. (2008) Multiple immunoenzyme staining: methods and visualizations for the observation with spectral imaging. J. Histochem Cytochem. 56: 313-328. 2. Bdeir, K. <i>et al.</i> (2010) Neutrophil alpha-defensins cause lung injury by disrupting the capillary-epithelial barrier. Am J Respir Crit Care Med. 181: 935-46. 3. Hsiao, J.R. <i>et al.</i> (2010) Cyclic alphavbeta6-targeting peptide selected from biopanning with clinical potential for head and neck squamous cell carcinoma. Head Neck. 32 (2): 160-72. 4. Türeci, Ö <i>et al.</i> (2011) Claudin-18 gene structure, regulation, and expression is evolutionary conserved in mammals. Gene. 481 (2): 83-92. 5. Martínez-Sernández, V. <i>et al.</i> (2011) Development and evaluation of a new lateral flow immunoassay for serodiagnosis of human fasciolosis. PLoS Negl Trop Dis. 5 (11): e1376. 6. Martínez-Sernández, V. <i>et al.</i> (2014) The MF6p/FhHDM-1 major antigen secreted by the trematode parasite Fasciola hepatica is a heme-binding protein. J Biol Chem. 289 (3): 1441-56. 7. Dileepan, T. <i>et al.</i> (2015) <i>In Situ</i> Peptide-MHC-II Tetramer Staining of Antigen-Specific CD4+ T Cells in Tissues. PLoS One. 10 (6): e0128862. 8. Arni, S. <i>et al.</i> (2021) Subnormothermic <i>ex vivo</i>. lung perfusion attenuates ischemia reperfusion injury from donation after circulatory death donors. PLoS One. 16 (8): e0255155.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	<p>Material Safety Datasheet documentation #20513 available at: https://www.bio-rad-antibodies.com/SDS/4510-7864</p> <p>20513</p>
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

[AbGUARD® HRP STABILIZER PLUS \(BUF052A\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052B\)](#)
[AbGUARD® HRP STABILIZER PLUS \(BUF052C\)](#)
[TMB CORE \(BUF056A\)](#)
[TMB CORE+ \(BUF062A\)](#)
[TMB SIGNAL+ \(BUF054A\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M437629:250317'

Printed on 17 Mar 2025

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)