

Datasheet: 4660-1140

### **BATCH NUMBER 1804**

GOAT ANTI GLUCAGON (N-TERMINAL)
GLUCAGON (N-TERMINAL)
Purified
Polyclonal Antibody
Polyclonal IgG
1 ml

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	-			
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Species Cross	Reacts with: Pig
Reactivity	<b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )

#### **Stabilisers**

Approx. Protein Concentrations	IgG concentration 5.0 mg/ml
Immunogen	Porcine glucagon, amino acids 1-12, conjugated with bovine thyroglobulin.
External Database Links	UniProt: P01275 Related reagents Entrez Gene:
	2641 GCG Related reagents
RRID	AB_2107337
Specificity	<b>Goat anti Glucagon antibody</b> recognizes the pancreatic polypeptide hormone glucagon, whose actions are antagonistic to insulin. Glucagon is produced by A cells within the Islets of Langerhans in the pancreas.
	Tumors arising from glucagon producing cells are termed glucagonomas, and this antibody may be useful in identifying such tumours.
References	1. Li, S. <i>et al.</i> (2010) SEL1L deficiency impairs growth and differentiation of pancreatic epithelial cells. <u>BMC Dev Biol. 10: 19.</u>
Storage	Store at +4°C or at -20°C if preferred.
	Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/4660-1140">https://www.bio-rad-antibodies.com/SDS/4660-1140</a> 10040
Regulatory	For research purposes only

# **Related Products**

# **Recommended Secondary Antibodies**

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

## Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint