

Datasheet: 5178-2404

Description:	GOAT ANTI MOUSE IgG (H/L):FITC
Specificity:	IgG (H/L)
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/2K - 1/10K
Immunofluorescence	▪			1/500 - 1/2500

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Mouse						
Product Form	Purified Ig conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - lyophilized						
Reconstitution	Use 1.0 ml of DI water. For extended storage, reconstitute with 50% glycerol instead of water and then aliquot contents at -20°C.						
Max Ex/Em	<table border="1"> <thead> <tr> <th>Fluorophore</th> <th>Excitation Max (nm)</th> <th>Emission Max (nm)</th> </tr> </thead> <tbody> <tr> <td>FITC</td> <td>490</td> <td>525</td> </tr> </tbody> </table>	Fluorophore	Excitation Max (nm)	Emission Max (nm)	FITC	490	525
Fluorophore	Excitation Max (nm)	Emission Max (nm)					
FITC	490	525					
Preparation	Purified Ig prepared by affinity chromatography						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	10 mg/ml Bovine Serum Albumin and 0.01% sodium azide						
Approx. Protein Concentrations	IgG concentration 2.0 mg/ml						

External Database

Links

UniProt:

P01868	Related reagents
P01869	Related reagents
P01843	Related reagents
P01845	Related reagents
P01867	Related reagents
P01865	Related reagents
P01863	Related reagents
P01864	Related reagents
P03987	Related reagents
P01844	Related reagents
P01837	Related reagents

Entrez Gene:

16017	Ighg1	Related reagents
16017	Ighg1	Related reagents
16016	Ighg2b	Related reagents
110787	Iglc3	Related reagents
380793	Igh-1a	Related reagents
433053	LOC433053	Related reagents
16071	Igk-C	Related reagents
110786	Iglc2	Related reagents
380793	Igh-1a	Related reagents
380793	Igh-1a	Related reagents
380795	AI324046	Related reagents

Synonyms

Igh-4

RRID

AB_616780

Specificity

Goat anti Mouse IgG antibody recognizes the heavy and light chains of mouse IgG. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-fluorescein, anti-goat serum, mouse IgG and mouse serum.

References

1. Olimpio, R.M.C. *et al.* (2018) Cell viability assessed in a reproducible model of human osteoblasts derived from human adipose-derived stem cells. [PLoS One. 13 \(4\): e0194847.](#)

Further Reading

1. The, T.H. & Feltkamp, T.E. (1970) Conjugation of fluorescein isothiocyanate to antibodies. I. Experiments on the conditions of conjugation. [Immunology. 18 \(6\): 865-73.](#)

Storage

This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution it is recommended to aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #20486 available at: https://www.bio-rad-antibodies.com/SDS/5178-2404 20486
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M391032:211008'

Printed on 25 Mar 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)