Datasheet: 5196-2104 BATCH NUMBER 166940

| Description: | GOAT ANTI RABBIT IgG (H/L) | | | | |
|---------------|----------------------------|--|--|--|--|
| Specificity: | IgG (H/L) | | | | |
| Format: | Purified | | | | |
| Product Type: | Polyclonal Antibody | | | | |
| Isotype: | Polyclonal IgG | | | | |
| Quantity: | 2 mg | | | | |
| | | | | | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further | | | | | | | | |
|-----------------------------------|--|-------------------------------|------------|---------------------------|--------------------------|--|--|--|--|
| | information. For general protocol recommendations, please visit <u>www.bio-</u> | | | | | | | | |
| | rad-antibodies.com/proto | rad-antibodies.com/protocols. | | | | | | | |
| | | Yes | No | Not Determined | Suggested Dilution | | | | |
| | Immunohistology - Frozen | - | | | 1/500 - 1/3,000 | | | | |
| | ELISA | - | | | 1/5,000 - 1/60,000 | | | | |
| | Western Blotting | - | | | 1/1,500 - 1/6,000 | | | | |
| | Where this product has not been tested for use in a particular technique this does not | | | | | | | | |
| | necessarily exclude its u | se in sucl | n procedu | res. Suggested workin | g dilutions are given as | | | | |
| | a guide only. It is recomr | nended th | nat the us | er titrates the product f | or use in their own | | | | |
| | system using the approp | | | • | | | | | |
| | This antibody is also suit | - | • | | IPPT but the titres will | | | | |
| | need to be determined e | | | | | | | | |
| | | лр | | | | | | | |
| Target Species | Rabbit | | | | | | | | |
| Product Form | Purified Ig - liquid | | | | | | | | |
| Preparation | Purified Ig prepared by affinity chromatography | | | | | | | | |
| Buffer Solution | 0.02M Potassium Phosp | hate | | | | | | | |
| | 0.15M Sodium Chloride | | | | | | | | |
| Preservative Stabilisers | 0.01% Sodium Azide (Na | aN ₃) | | | | | | | |
| Approx. Protein Concentrations | Current, batch-specific c | g/ml | | | | | | | |
| | | | | | | | | | |

| Immunogen | Rabbit IgG, whole molecule. | | | | | | |
|----------------------------------|--|--|--|--|--|--|--|
| External Database Links | UniProt: P01840 Related reagents P01839 Related reagents P01838 Related reagents P01847 Related reagents P01870 Related reagents P01841 Related reagents P01842811 IGKC2 | | | | | | |
| | 100009097 LOC100009097 Related reagents | | | | | | |
| RRID | AB_620474 | | | | | | |
| Specificity | Goat anti Rabbit IgG (H&L) antibody recognizes both the heavy and light chains of rabbit IgG. Assay by IEP gives a single band with anti goat serum, rabbit IgG and rabbit serum. Goat anti Rabbit IgG (H&L) antibody has not been cross adsorbed and may react with light chains of other rabbit immunoglobulin classes, it may also react with immunoglobulins from other species. | | | | | | |
| References | 1. Diez, A. <i>et al</i> . (2007) Conjugated linoleic acid affects lipid composition, metabolism, and gene expression in gilthead sea bream (<i>Sparus aurata L</i>). <u>J. Nutr.137: 1363-9.</u> | | | | | | |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. | | | | | | |
| Guarantee | 12 months from date of despatch | | | | | | |
| Health And Safety Information | Material Safety Datasheet documentation #20476 available at: https://www.bio-rad-antibodies.com/SDS/5196-2104 20476 | | | | | | |
| Regulatory | For research purposes only | | | | | | |

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

| North & So | uth Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 | |
|------------|------------------------------|-------------------|--------------------------------------|-----------------|---|----|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 | То |
| | Email: antibody_sales_us@ | bio-rad.com | Email: antibody_sales_uk@bio-rad.com | | Email: antibody_sales_de@bio-rad.comd_a | |
| ha | tob/lat aposific datashoot f | or this product p | loopo upo our oplino poor | ah taal at: hia | rad antibadias com/datashast | • |

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421872:230801'

Printed on 12 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint