## Datasheet: 5224-9850 BATCH NUMBER 163908

Description:	MOUSE ANTI HUMAN IgG2
Specificity:	lgG2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	3C7
lsotype:	lgG1
Quantity:	0.5 mg

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin					
	ELISA					
	Western Blotting					
	Where this product has n necessarily exclude its us a guide only. It is recomm system using the appropr	se in such nended th	procedur at the use	es. Suggested workin titrates the product f	ng dilutions are given as	
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by	affinity ch	romatogra	aphy on Protein A fror	m ascites	
Buffer Solution	Phosphate buffered salin	e				
Preservative Stabilisers	<0.1% Sodium Azide (Na	ιN <sub>3</sub> )				
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml					

Immunogen	Human IgG from pooled serum.			
External Database Links	UniProt: <u>P01859</u> <u>Related reagents</u> Entrez Gene:			
	<u>3501</u> IGHG2 <u>Related reagents</u>			
RRID	AB_617309			
Specificity	<b>Mouse anti Human IgG2 antibody, clone 3C7</b> is specific for human IgG2 and recognizes an epitope in the Fc region.			
References	1. Martinsson, K. <i>et al.</i> (2017) Immunoglobulin (Ig)G1 and IgG4 anti-cyclic citrullinated peptide (CCP) associate with shared epitope, whereas IgG2 anti-CCP associates with smoking in patients with recent-onset rheumatoid arthritis (the Swedish TIRA project). <u>Clin Exp Immunol. 188 (1): 53-62.</u>			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/5224-9850 10040			
Regulatory	For research purposes only			

## **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>				
Goat Anti Mouse IgG (STAR76)	RPE			
Goat Anti Mouse IgG (STAR70)	FITC			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
	DyLight®650, DyLight®680, DyLight®800,			
	<u>FITC, HRP</u>			
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (STAR77)	HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>			

### <u>HRP</u>

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-ra	id.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M389029:210806'

#### Printed on 20 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint