

## Datasheet: 5224-9850

Description:	MOUSE ANTI HUMAN IgG2
Specificity:	lgG2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	3C7
lsotype:	lgG1
Quantity:	0.5 mg

### **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols.						
	Flow Cytometry	Yes	No	Not Determined	Suggested Dilution		
	Immunohistology - Frozen						
	Immunohistology - Paraffin			•			
	ELISA	•					
	Western Blotting			•			
	Where this product has n	ot been t	ested for	use in a particular tech	inique this does not		
	necessarily exclude its us						
	a guide only. It is recomm system using the appropr	nended th	nat the use	er titrates the product f			
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein A from ascites						
Buffer Solution	Phosphate buffered salin	е					
Preservative Stabilisers	<0.1% Sodium Azide (NaN <sub>3</sub> )						
Approx. Protein Concentrations	IgG concentration 1.0 mg	/ml					
Immunogen	Human IgG from pooled	serum.					

External Database Links	UniProt:   P01859 Related reagents   Entrez Gene:   3501 IGHG2 Related reagents			
RRID	AB_617309			
Specificity	Mouse anti Human IgG2 antibody, clone 3C7 is specific for human IgG2 and recognizes an epitope in the Fc region.			
References	1. Martinsson, K. <i>et al.</i> (2017) Immunoglobulin (Ig)G1 and IgG4 anti-cyclic citrullinated peptide (CCP) associate with shared epitope, whereas IgG2 anti-CCP associates with smoking in patients with recent-onset rheumatoid arthritis (the Swedish TIRA project). <u>Clin Exp Immunol. 188 (1): 53-62.</u>			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in			
	frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/5224-9850 10040			
Regulatory	For research purposes only			

### **Related Products**

# **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>				
Goat Anti Mouse IgG (STAR76)	RPE			
Goat Anti Mouse IgG (STAR70)	FITC			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
	DyLight®650, DyLight®680, DyLight®800,			
	FITC, HRP			
Rabbit Anti Mouse IgG (STAR9)	FITC			
Goat Anti Mouse IgG (STAR77)	HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP			
Rabbit Anti Mouse IgG (STAR13)	HRP			
Recommended Negative Controls				

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M429127:240320'

#### Printed on 20 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint