

Datasheet: 5275-5504

Description:	NATIVE HUMAN IgM
Name:	IgM
Format:	Purified
Product Type:	Antigen
Quantity:	5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.biorad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified immunoglobulin from human plasma - lyophilized
Reconstitution	Reconstitute with 1ml 250mM Sodium Chloride. Further dilutions may then be made in sterile Phosphate Buffered Saline. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
Preparation	Purified IgM prepared by delipidation, salt fractionation and ion-exchange chromatography.
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	None present.
Approx. Protein Concentrations	5.0 mg/ml after reconstitution
External Database Links	UniProt:

P01871	Related	reagents

Entrez Gene:

3507 IGHM Related reagents

Product Information Native Human IgM is purified from human plasma and demonstrated a single be electrophoresis. Native Human IgM has been used as the IgM antigen in the devorage of a sensitive ELISA assay for the measurement of IgM in human samples. Purity >95% (Single band in high resolution protein electrophoresis on Sebia agarose of IgM and kappa light chain confirmed via Sebia agarose immunofixation. This product may contain traces of other plasma proteins, including IgGs. Storage Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10302 available at: https://www.bio-rad-antibodies.com/SDS/5275-5504 Donor material tested and found negative for HIV1 antigen, HIV antibodies and has no test can completely guarantee this material to be free of pathogens it should handled as potentially infectious	
electrophoresis. Native Human IgM has been used as the IgM antigen in the devor a sensitive ELISA assay for the measurement of IgM in human samples. Purity >95% (Single band in high resolution protein electrophoresis on Sebia agarose of IgM and kappa light chain confirmed via Sebia agarose immunofixation. This product may contain traces of other plasma proteins, including IgGs. Storage Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10302 available at: https://www.bio-rad-antibodies.com/SDS/5275-5504 Donor material tested and found negative for HIV1 antigen, HIV antibodies and health and the second pathogens it should be free of pathogens it should be sensitive ELISA assay for the measurement of IgM in human samples.	
IgM and kappa light chain confirmed via Sebia agarose immunofixation. This product may contain traces of other plasma proteins, including IgGs. Storage Storage Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10302 available at: https://www.bio-rad-antibodies.com/SDS/5275-5504 Donor material tested and found negative for HIV1 antigen, HIV antibodies and HAS no test can completely guarantee this material to be free of pathogens it should be stored undiluted. As no test can completely guarantee this material to be free of pathogens it should be stored undiluted. Avoid repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein. Should repeated freezing and thawing as denature the protein.	
Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10302 available at: https://www.bio-rad-antibodies.com/SDS/5275-5504 Donor material tested and found negative for HIV1 antigen, HIV antibodies and has no test can completely guarantee this material to be free of pathogens it should be a should be added to the free of pathogens it should be a	gel).
Health And Safety Information Material Safety Datasheet documentation #10302 available at: https://www.bio-rad-antibodies.com/SDS/5275-5504 Donor material tested and found negative for HIV1 antigen, HIV antibodies and HAS no test can completely guarantee this material to be free of pathogens it should be added to the same of the same o	s this may
Information https://www.bio-rad-antibodies.com/SDS/5275-5504 Donor material tested and found negative for HIV1 antigen, HIV antibodies and Hive As no test can completely guarantee this material to be free of pathogens it should be a	
As no test can completely guarantee this material to be free of pathogens it shou	
, ,,,	HBsAg.
• • •	uld be
Regulatory For research purposes only	

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M437882:250320'

Printed on 19 Jun 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint