

Datasheet: 5315-0456 **BATCH NUMBER 020215**

Description:	GOAT ANTI INFLUENZA A H3N2
Specificity:	INFLUENZA A H3N2
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA			•	
Western Blotting			•	
Immunofluorescence	•			
Haemagglutination	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Viral
Product Form	Purified IgG - liquid
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Influenza A, Texas 1/77 strain (H3N2).

RRID	AB_618834
Specificity	Goat anti Influenza A H3N2 antibody recognizes influenza AH3N2 by haemagglutination inhibition.
	Goat anti Influenza A H3N2 antibody does not react with influenza B, RSV, Para 1-3 or Adenovirus, but may react with proteins present on uninfected chicken cells.
	Influenza type A viruses are divided into subtypes based on the antigenic differences of two viral surface proteins, hemagglutinin (H) and neuraminidase (N). On infection of the respiratory tract, the hemagglutinin molecule binds to sialic acid-containing receptors on the epithelial cells resulting in endocytosis. Once the virus has been engulfed, the hemagglutinin allows the viral membrane to fuse with the endosomal membrane. Neuraminidase functions to aid viral release from host cells by cleaving terminal sialic acid residues from carbohydrate moieties on the cell surface.
	Subtype antigenic variations result from a process known as antigenic drift whereby these surface proteins constantly mutate in order to evade the host immune response.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/5315-0456 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

 ${\bf Email: antibody_sales_uk@bio-rad.com}$

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M363267:200528'

Printed on 12 Nov 2024